



AKAI
AA-R32L

AA-R32L



MAIN AMP PCB (U) A1004A505A
(C,A) A1004A506A
(E,B,S) A1004A507A



KEY BOARD (1)


WARNING: Δ INDICATES SAFETY CRITICAL COMPONENTS. FOR CONTINUED SAFETY, REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURER'S RECOMMENDED PARTS.

AVERTISSEMENT: Δ IL INDIQUE LES COMPOSANTS CRITIQUES DE SECURITE. POUR MAINTENIR LE DEGRE DE SECURITE DE L'APPAREIL, NE REMPLACER QUE DES PIECES RECOMMANDEES PAR LE FABRICANT.

NOTE
UNLESS OTHERWISE SPECIFIED
ALL RESISTORS IN OHMS (1/4W) (S)
ALL CAPACITORS IN μ F 50 WV (J)
(FS) - FAIL SAFE RESISTORS

(RECEIVER)
AA-R32/L AMP
SCHEMATIC DIAGRAM
NO.4-2 821030A

AA-R32



TUNER PCB(U) A1004A5030
 (A,C) A1004A5031
 (S) A1004A5032


WARNING: Δ INDICATES SAFETY CRITICAL COMPONENTS FOR CONTINUED SAFETY. REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURER'S RECOMMENDED PARTS.
 AVERTISSEMENT: Δ IL INDIQUE LES COMPOSANTS CRITIQUES DE SECURITE POUR MAINTENIR LE DEGRE DE SECURITE DE L'APPAREIL. NE REMPLACER QUE DES PIECES RECOMMANDEES PAR LE FABRICANT.

- 25x19
- 35x73
- 25x212
- 25x223
- 25C2990
- 25A608-HP
- 25C236X-HP
- 25C2370
- 25C2375
- 25C31000

NOTE: 1. ALL RESISTOR VALUES ARE IN OHMS UNLESS OTHERWISE SPECIFIED.
 2. ALL CAPACITOR VALUES ARE IN P.F. UNLESS OTHERWISE SPECIFIED.
 3. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.


(RECEIVER)
AA-R32 TUNER
 SCHEMATIC DIAGRAM
 No.4-3 821031 A

AA-R32/L



001325

WARNING: Δ INDICATES SAFETY CRITICAL COMPONENTS. FOR CONTINUED SAFETY, REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURER RECOMMENDED PARTS.
 AVERTISSEMENT: Δ IL INDIQUE LES COMPOSANTS CRITIQUES DE SÉCURITÉ. POUR MAINTENIR LE DEGRÉ DE SÉCURITÉ DE L'APPAREIL, NE REMPLACER QUE DES PIÈCES RECOMMANDÉES PAR LE FA



COMPONENTS FOR CONTINUED SAFETY.
 COMPONENTS ONLY WITH MANUFACTURER'S
 MARKING.

COMPOSANTS CRITIQUES DE SÉCURITÉ
 UNiquement de l'appareil.
 RECOMMANDÉS PAR LE FABRICANT


VOLTAGE MEASURED MODE:
 AFTER DEPRESSING THE RESET BUTTON.
 (C) INDICATES THAT TIMING PULSE WILL BE DISPLAYED

NOTE
 UNLESS OTHERWISE SPECIFIED
 ALL RESISTORS IN OHMS (1/4W/1J)
 ALL CAPACITORS IN µF 50WV(1J)

(RECEIVER)
AA-R32/L CONNECTION DIAGRAM
 NO.4-1 821029A

1
2
3
4
5
6
7
8


AA-R32L



TUNER PCB A1004A5033

WARNING: Δ INDICATES SAFETY CRITICAL COMPONENTS. FOR CONTINUED SAFETY, REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURER'S RECOMMENDED PARTS.
 AVERTISSEMENT: Δ IL INDIQUE LES COMPOSANTS CRITIQUES DE SÉCURITÉ. POUR MAINTENIR LE DEGRÉ DE SÉCURITÉ DE L'APPAREIL, NE REMPLACER QUE DES PIÈCES RECOMMANDÉES PAR LE FABRICANT.





(RECEIVER)
AA-R32L TUNER
SCHEMATIC DIAGRAM
 NO.4-4 821032A

NOTE
 UNLESS OTHERWISE SPECIFIED
 ALL RESISTORS IN OHMS 1/4W (J)
 ALL CAPACITORS IN μ F 50 WV (J)
 (FS) - FAIL SAFE RESISTORS

1
 2
 3
 4
 5
 6
 7
 8