








## PRE-AMP SCHEMATIC SECTION




4. \* = OPEN  
3. ALL POLARIZED CAPACITORS IN uf, 20%; 50V MINIMUM.  
2. ALL UNPOLARIZED CAPACITORS INuf, 10% OR BETTER; 50V MINIMUM.  
(POWER SUPPLY BYPASS CAPACITORS ARE 20%).  
1. ALL RESISTORS IN OHMS, 1% 1/16W(0603).  
NOTES: (UNLESS OTHERWISE NOTED)

L1 Compact SMPS & Amp - Rev 1 - Page 1 of 2




AC Input from IEC outlet and AC Power Switch

# L1 Compact SMPS & Amp - Rev 1 - Page 2 of 2



4. \*=open  
 3. ALL POLARIZED CAPACITORS IN uF, 20%; 50V MINIMUM.  
 2. ALL UNPOLARIZED CAPACITORS IN uF, 10% OR BETTER; 50V MINIMUM.  
 (POWER SUPPLY BYPASS CAPACITORS ARE 20%).  
 1. ALL RESISTORS IN OHMS, 5% 1/10W(0603).  
 NOTES: (UNLESS OTHERWISE NOTED)

# L1 Compact Speaker Connections



Connection with Twiddler Array in Base

