Signature 2.0 Processor/Tuner Dolby Digital / DTS

Service - Technical Manual

Signature 2.0

Signature 2.0 Processor/Tuner Specifications

Inputs:

Analog Audio: Six Stereo pairs via RCA jacks

Digital Audio: Four Coaxial S/P-DIF, Two Optical TosLink
External Adapter: Six Direct Analog channels via RCA jacks

Composite Video: Six RCA jacks

S-Video: Two 4-pin mini DIN
IR Sensor Input: 3.5mm mono mini-plug

Outputs:

Main Audio: Six Analog Outputs via RCA jacks (left, center, right, right surround,

left surround, subwoofer)

Main Video: One Composite RCA jack output paralleled with

one S-Video 4-pin mini DIN

Record Audio: Two pair (paralleled) analog via RCA jacks
Record Video: One Composite via RCA jack paired with

one S-Video via 4-pin mini DIN

IR Sensor: Loop-through output via 3.5mm mono mini plug

Accessory Trigger: 6 – 12 volt DC via 3.5mm mono mini plug, tip positive, 150mA maximum.

Surround Modes:

Analog: Dolby Pro Logic, Four Movie Modes, Four Music Modes, Stereo,

Mono, Mono +

Digital: Dolby Digital, Dolby Digital Late Night, Dolby Digital

Pro Logic, Dolby Digital Mono, DTS 5.1, DTS 4-Channel,

DTS 2-Channel, Stereo, Mono +

Preamplifier:

Frequency Response: Front Channels (Analog Stereo): 20Hz to 50kz, ± 0.5dB

Center and Surround Channels: 20Hz to 30kHz, $\pm\ 1dB$

Subwoofer Channel: 10Hz to 100Hz, ± 1dB

THD + N: 0.03%, 20Hz to 20kHz S/N Ratio: > 87dBr, 20Hz to 20kHz

Crosstalk: <60dB

Input Impedance: Audio: >10KΩ

Video: 75Ω

Output Impedance: Audio: 300Ω

Video: 75Ω

Crossovers: Low Pass: 3 Pole (18dB/Octave) @ 100Hz

High Pass: 3 Pole (18dB/Octave) @ 100Hz

Tone Controls: Treble Cut: -0dB to -8dB in 2dB steps @ 10kHz shelving

Bass Boost: +0dB to +8dB in 2 steps @ 50Hz

Video Standards: NTSC, PAL

Signature 2.0

Signature 2.0 Processor/Tuner Specifications (continued)

Tuner Section FM:

Frequency Range: 87.5 to 108.0MHz in 200kHz steps

Usable Sensitivity: $<1.0 \mu V/11.2 dBf$

Signal-To-Noise: 70dB (Stereo, A-weighted)

S/N 50dB Sensitivity: <45dBf
THD + N: <0.5%
Capture Ratio: <2.5dB
AM Suppression: >50dB

Image Rejection: >70dB (@ 106MHz)

IF Rejection: >85dB

Effective Selectivity: >50dB (±400kHz)
Stereo Separation: >40dB (1kHz)

RDS Modes: Station ID, Program Type, Radio Text Data, Program Type Search

Tuner Section AM:

Frequency Range: 520 – 1710 kHz in 10kHz steps

Signal-To-Noise Ratio: >40dB
Usable Sensitivity: ≤500µV/M
Salastivity: ≤00 lB (10

Selectivity: ≥30dB (±10kHz)

General:

Power Requirement: AC 115V/60Hz

Power Consumption: 5.5W Idle, 75W Maximum

Dimensions: (Max, including knobs, jacks, buttons)


Width: 17 % inches (441mm) Height: 4 1/8 inches (105mm) Depth: 15 % inches (395mm)


Weight: 22 lbs. (10.5 kg)


All features and specifications are subject to change without notice.


^{*}Trademarks of Dolby Laboratories.

[†]DTS and DTS Surround are trademarks of Digital Theater Systems.












1, FOR CAPACITOR TYPE SEE PARTS LIST.


2. ALL RESISTORS ARE 1/8W, 5% CARBON FILM, UNLESS OTHERWISE SPECIFIED.








RELEASED FOR MANUFACTURE
BY Sume Manufacture 61317


				1
SIGNATURE		DATE	harman consumer group digital entertainment product center	I
рплин	DJ CLAAK	10 17 96	1388 Borregas Rvenue Sunnyvale, CA 94089-1001	
DRFTG CHK				f
PROJ MGR			SIGNATURE 2.0 CPU	П
SZCPUØØ.SCH			DIIG. NO. 05A-05006 REV.	
			SHEET 1 OF 5	ш



















NATURE 2.0 9-13-97 11:05 RM



































CITATION 5.0/SIGNATURE 2.3 1-6-98 2:40 PM








Signature 2.0


Bass Boost

This chart, using data from a sample Signature 2.0 unit and automated test equipment, shows the frequencies at which low-frequency information is boosted when settings are changed with the **Bass Boost** control **3**, or through the use of the **Effects Menu** (Figure OSD-8).



Treble Cut

This chart, using data from a sample Signature 2.0 unit and automated test equipment, shows the frequencies at which high-frequency information is rolled off when settings are changed with the **Treble Cut** control **(1)**, or through the use of the **Effects Menu** (Figure OSD-8).



20AUDIO

ASM: HA206-0015-3	SIG 2.0 AUDIO BOARD ASY,REV03	EA M
Gallien Part Number 001-1030-1	Description TL072CP, LOW NOISE JFET OPAMP 29.000000 EP 0 0 0.0 A REF: U 201,302,401,402,501,502,503, REF: 504,505,601,602,604,605,606,701 REF: 702,703,704,705,1002,1003,1004, REF: 1103,1104,105,1203,1204,1303, REF: 1304	EA B
001-1031-0	OP249,OPAMP DUAL PREC HS JFET 3.000000 EP 0 0 0.0 A REF: U 804,903,904	EA B
001-1195-0	LM339A,QUAD COMPARATOR 1.000000 EP 0 0 0.0 0 A REF: U 404	EA B
001-1973-0	LM1973N DIGITAL ATTENUATOR 3.000000 EP 0 0 0.0 A REF: U 202,1001,1201	EA B
002-0035-0	CD4052 EA B 11.000000 EP 0 0 0.0 A REF: U 506,603,706,802,901,902,1005, REF: 1006,1005,1101,1102,1202	
002-0051-0	CD4051 EA B 6.000000 EP 0 0 0.0 A	
010-0004-0	REF: U 200,301,801,803,1301,1302 2SC2878B,TRANS,NPN,MUTING 16.000000 EP 0 0 0.0 A REF: Q 1001,1002,1003,1004,1101,1102, REF: 1103,1104,1201,1202,1203,1204,	
020-1000-0	REF: 1301,1302,1303,1304 1N4148 ,RECT-FAST,200MA,100V,4NS,E 4.000000 EP 0 0 0.0 AI A REF: D 401,402,403,404	OO-35 EA B
030-2104-0	CAP,CER,AX,104,10%,50V,X7R 105.000000 EP 0 0 0.0 AI	EA B A
	REF: C 207,208,212,213,307,308,309, REF: 312,313,314,401,402,403,405,409, REF: 501,503,504,508,512,513,514,516, REF: 521,526,530,601,603,604,607,611	
	REF: 612,613,615,618,621,625,626,701 REF: 703,704,706,710,711,712,714,716 REF: 720,724,728,801,802,804,805,806	
	REF: 807,809,811,901,902,903,905,906 REF: 909,912,913,1001,1002,1004,1007 REF: 1009,1012,1013,1014,1015,1016, REF: 1035,1036,1101,1102,1104,1105, REF: 1106,1107,1110,1111,1116,1117, REF: 1201,1202,1204,1205,1208,1209, REF: 1210,1213,1301,1302,1305,1308,	
030-2104-0		EA B A

20AUDIO

030-2270-0	CAP,CER AXIAL,27 PF,10%,50V,NP 16.000000 EP 0 0 0.0 AI REF: C 404,408,502,509,602,608,702 REF: 707,803,810,907,908,910,911,1 REF: 1310	A 2,
030-4100-0	CAP,CER AXIAL,10 PF,10%,100V 22.000000 EP 0 0 0.0 REF: C 209,310,506,510,515,517,609 REF: 609,614,616,708,713,715,732,1 REF: 1008,1108,1115,1211,1214,130 REF: 1306	1005
030-4102-0	CAP,CER AXIAL,102,10%,100V,X7R 18.000000 EP 0 0 0.0 REF: C 201,202,203,204,205,206,30 REF: 302,303,304,305,306,534,535,5 REF: 537,733,734	A
031-0106-1	CAP,ELEC,RAD,106,20%,25V,NP 1.000000 EP 0 0 0.0 REF: C 1102	EA B A
036-2105-0	CAP,PE,RAD,105,5%,50V	EA B
	18.000000 EP 0 0 0.0	Α
	REF: C 210,311,406,407,507,511,606	3 ,
·	REF: 610,705,709,1006,1011,1109,1	118
•	REF: 1212,1215,1304,1307	
036-2124-0	CAP,PE,RAD,124,5%,50V	EA B
	20.000000 EP 0 0 0.0	Α
	REF: C 518,519,520,523,527,528,529	9.
	REF: 531,617,619,620,622,717,718,7	
	REF: 721,726,727,729	
036-2334-0	CAP,PE,RAD,334,5%,50V	EA B
	3.000000 EP 0 0 0.0	A
	REF: C 1019,1034,1114	••
036-2472-0	CAP,PE,RAD,472,5%,50V	EA B
	5.000000 EP 0 0 0.0	Α
	REF: C 1003,1010,1103,1203,1207	
036-2473-0	CAP,PE,RAD,473,5%,50V	EA B
•	11.000000 EP 0 0 0.0	A
•	REF: C 524,532,623,722,730,1017,10	
,	REF: 1021,1112,1113,1118	
036-2682-0	CAP,PE,RAD,682,5%,50V	EA B
. •	5.000000 EP 0 0 0.0	A
	REF: C 525,533,624,723,731	, ,
050-0000-0	RES,METAL WIRE,0 OHM,1/8W	EA B
•	4.000000 EP 0 0 0.0 AI	A
	REF: R 217,218,1044,1045	,
050-3305-0	RES,CARBON FILM,3.3M OHM,1/8W	V,5% EA B
	8.000000 EP 0 0 0.0	Α Δ
,	REF: R 1004,1014,1030,1035,1104,1	
	REF: 1206,1209	
058-1003-0	RES,SIP 10K OHMS X 9	EA B
	4.000000 EP 0 0 0.00	A
	REF: RP 203,303,1301,1302	- •
058-2203-0	RES,SIP,22K OHMS X9,2%	EA B
		_

20AUDIO

060-1002-0	20.000000 EP 0 0 0.0 Al A REF: R 201,204,206,208,210,212,301 REF: 304,306,308,310,312,422,510,518	EA B
060-1003-0	REF: 609,615,635,714,722 RES,METAL FILM,10.0K OHM,1/8W,1% 25.000000 EP 0 0 0.0 AI A	EA B
	REF: R 101,102,103,104,105,106,107, REF: 403,406,412,415,634,1039,1043, REF: 1047,1049,1115,1130,1132,1228,	
060-1004-0	REF: 1230,1317,1322,1327,1329 RES,METAL FILM,100K,1/8W,1% 13.000000 EP 0 0 0.0 AI A	EA B
	REF: R 1005,1008,1048,1050,1124,1131, REF: 1133,1220,1223,1229,1231,1328, REF: 1330	·
060-1103-0	11.000000 EP 0 0 0.0 AI A REF: R 404,405,413,414,419,424,426,	EA B
060-1153-0	REF: 431,433,1318,1324 RES,METAL FIM,11.5 K OHM,1%,1/8W 12.000000 EP 0 0 0.0 A REF: R 501,502,513,514,601,602,611,	EA B
060-1274-0	1.000000 EP 0 0 0.0 A	EA B
060-1333-0	REF: R 1116 RES,METAL FILM,13.3 K OHM,1%,1/8W 5.000000 EP 0 0 0.0 A REF: R 1016,1020,1108,1210,1214	EA B
060-1473-0	RES,METAL FILM,14.7 K OHM,1%,1/8W 9.000000 EP 0 0 0.0 A REF: R 1028,1029,1032,1033,1038,1042	EA B
060-1501-0	REF: 1114,1119,1120 RES,METAL FILM,150 OHMS,1/8W,1% 16.000000 EP 0 0 0.0 A REF: R 1026,1027,1046,1051,1123,1127 REF: 1129,1134,1222,1226,1227,1232,	ЕА В
060-1503-0	REF: 1319,1323,1326,1331 RES,METAL FILM,15.0 K OHM,1/8W,1% 1.000000 EP 0 0 0.0 A REF: R 421	EA B
060-1803-0	RES,METAL FILM,18K OHM,1/8W,1% 1.000000 EP 0 0 0.0 A REF: R 621	EA B
060-2004-0	RES,METAL FILM,200K OHM,1/8W,1% 18.000000 EP 0 0 0.0 A REF: R 216,316,402,410,508,517,607, REF: 614,721,738,1006,1009,1117,1126	EA B
060-2203-0	REF: 1221,1224,1315,1321 RES,METAL FILM,22K OHM,1/8W,1%	EA B

. 20AUDIO

	60.000000 EP 0 0 0.0 A REF: R 423,425,430,432,633,801,802, REF: 803,804,805,806,807,808,809,810, REF: 811,812,813,814,818,819,820,821	
	REF: 822,823,824,825,826,827,828,829 REF: 830,831,832,833,901,902,903,904	
	REF: 905,906,907,908,909,910,911,912 REF: 913,914,915,916,917,918,919,920 REF: 921,923,924,925,926	
060-2212-0	RES,METAL FILM,2.21K OHM,1/8W,1% 9.000000 EP 0 0 0.0 A REF: R 617,815,816,817,1019,1023,1111	EA B
	REF: 1213,1217	
060-2613-0	RES,METAL FILM,26.1 KOHM,1%,1/8W 3.000000 EP 0 0 0.0 A	EA B
060-3002-0	REF: R 1037,1041,1113 RES,METAL FILM,3 K OHM,1%,1/8 W	ЕА В
	6.000000 EP 0 0 0.0 A	LA D
•	REF: R 506,520,603,632,711,718	
060-3103-0	RES,METAL FILM,30.1K OHM,1/8W,1%	EA B
•	34:000000 EP 0 0 0.0 A	
	REF: R 202,205,207,209,211,213,214,	
	REF: 302,305,307,309,311,313,314,511	
	REF: 519,610,616,715,739,1301,1302,	
•	REF: 1303,1304,1305,1306,1307,1308	
060-3482-0	REF: 1309,1310,1311,1312,1313,1325 RES,METAL FILM,3.48K OHM,1/8W,1%	EA B
000 0 102 0	7.000000 EP 0 0 0.0 A	
	REF: R 1018,1022,1105,1106,1110,1212,	
	REF: 1216	
060-3603-0	RES,METAL FILM,36K OHM,1/8W,1%	EA B
	36.000000 EP 0 0 0.0 A	
	REF: R 215,315,503,504,505,509,515,	
	REF: 516,521,523,524,525,528,540,604,	
	REF: 605,613,619,622,623,624,637,703,	•
	REF: 704,705,706,708,709,710,713,720,	
000 0740 0	REF: 723,724,737,1314,1320	
060-3742-0	RES,METAL FILM,3.74K OHM,1/8W,1% 18.000000 EP 0 0 0.0 A	EA B
	18.000000 EP 0 0 0.0 A REF: R 318,407,409,416,418,507,522,	
	REF: 526,533,608,618,625,712,719,725	
•	REF: 731,1015,1205	
060-4703-0	RES,METAL FILM,47.0K OHM,1/8W,1%	ЕА В
	15.000000 EP 0 0 0.0 AI A	
	REF: R 530,531,532,536,537,539,629,	
	REF: 630,631,728,729,730,734,735,736	
060-5362-0	RES,METAL FILM,5.36K OHM,1%,1/8W	EA B
	1.000000 EP 0 0 0.0 A	
060 5000 0	REF: R 420	F
060-5902-0	RES,METAL FILM,5.9K OHM,1/8W,1%	EA B
	5.000000 EP 0 0 0.0 A REF: R 1017,1021,1109,1211,1215	
060-5903-0	RES,METAL FILM,59.0K OHM,1/8W,1%	EA B
		_,, _

20AUDIC

	3.000000 EP 0 0 0.0 A
	REF: R 1036,1040,1112
060-6493-0	RES,METAL FILM,64.9K,1/8W,1% EA B
	5.000000 EP 0 0 0.0 A
	REF: R 529,535,628,727,733
060-6804-0	RES,METAL FILM,680K OHM,1/8W,1% EA B
	6.000000 EP 0 0 0.0 A
•	REF: R 427,428,429,434,435,436
060-6812-0	RES,METAL FILM,6.81K OHM,1/8W,1% EA B
330 3312 3	5.000000 EP 0 0 0.0 Al A
	•
060-7502-0	REF: R 1003,1012,1103,1207,1208
000-7302-0	RES,METAL FILM,7.5K OHM,1/8W,1% EA B
•	6.000000 EP 0 0 0.0 A
	REF: R 1007,1013,1107,1128,1218,1219
060-8253-0	RES,METAL FILM,82.5 K OHM,1/8W,1% EA B
	2.000000 EP 0 0 0.0 A
	REF: R 401,411
060-9102-0	RES,METAL FILM,9.10K OHM,1/8W,1% EA B
	3.000000 EP 0 0 0.0 AI A
	REF: R 408,417,620
060-9532-0	RES,METAL FILM,9.53K OHM,1/8W,1% EA B
	5.000000 EP 0 0 0.0 A
	REF: R 527,534,627,726,732
060-9762-0	· · · · · · · · · · · · · · · · · · ·
000-9702-0	RES,METAL FILM,9.76K OHM,1/8W,1% EA B
	3.000000 EP 0 0 0.0 A
201.0100.0	REF: R 1031,1034,1121
081-0102-0	EMI FILTER, RAD,1000PF EA B
	26.000000 EP 0 0 0.0 A
	REF: FIL 201,202,203,204,205,206,301
•	REF: 302,303,304,305,306,501,502,600
	REF: 601,700,701,1001,1002,1101,1102,
	REF: 1201,1202,1301,1302
092-0007-0	JACK,RCAX4,HORIZ,GOLD,RD/WT EA B
	7.000000 EP 0 0 0.0 A
	REF: J 201,204,202,203,501,1001,1101
093-0009-0	HDR,.1X5,VERT,MALE,LOCK EA B
300 3000 3	1.000000 EP 0 0 0.0 A
	REF: J 104
093-0019-0	
093-0019-0	HDR, 1X2X8, VERT, SHROUDED EA B
	1.000000 EP 0 0 0.0 A
	REF: J 100
093-2000-0	HDR,.1X2X10,VERT,MALE,SHROUDED EA B
	2.000000 EP 0 0 0.0 A
	REF: J 101,103
093-2003-0	HDR,2MMX8,VERT,SHROUDED EA B
•	1.000000 EP 0 0 0.0 A
	REF: J 102
153-0105-0	LABEL,BLANK,.9"X.25" EA B
	1.000000 EP 0 0 0.0 A
HA145-0015-3	SIG 2.0 AUDIO I/O RAW PCB EA B
- 17 CC TO TO TO	
,	1.000000 EP 0 0 0.0 03 A
	·

ASM: HA206-0012-0	SIG 2.0 CPU BOARD ASSY	EA M
Gallien Part Number	De	escription
001-0004-0	4N26 OPTO-COUPLER SIX	
	1.000000 EP 0 0 (
	REF: U 302	
002-0086-0	74HC86, EXCLUSIVE OR G	ATE.QUAD.2 IN FA B
	1.000000 EP 0 0 0	
	REF: U 310	,,
002-0202-0	MAX202, INTRFC XCVR RS	232 EA B
•).0 A
	REF: U 502	
002-1008-0	74HC08	EA B
	1.000000 EP 0 0 0).0 A
	REF: U 503	
002-1138-0	74HC138	EA B
	2.000000 EP 0 0 0).0 A
	REF: U 307,308	•
002-1139-0	74HC139N,DECODER,DUAL	L 2 TO 4 EA B
	1.000000 EP 0 0 0	
	REF: U 309	
002-1541-1	74HC541, BUFFER, OCTAL	TRISTATE EA B
•	3.000000 EP 0 0 0	
	REF: U 411,412,413	
002-1574-0	74HC574N TRI-STATE OCT	AL D FLIP FLOP EA B
	8.000000 EP 0 0 0	0.0 A
	REF: U 401,402,403,404,405	,406,407,
	REF: 408	
003-0020-4	EPROM,128KX8,120NS,27C	010-12 EA B
	1.000000 EP 0 0 0	.0 2.4 A
	REF: U 305	•
003-0080-0	EPROM, SERIAL, 8K, 25080	EA B
•	1.000000 EP 0 0 0	.0 A
	REF: U 501	•
003-0264-0	SRAM,8KX8,28PIN,600MIL,F	PLAST DIP EA B
•	1.000000 EP 0 0 0	.0 A
	REF: U 306	
003-1705-0	UP SUPERVISOR, 4.65V,UP	S705 EA B
, '		.0 A
	REF: U 303	
003-2180-0	MICROPROCESSOR, Z80180	0,10MHZ EA B
	· ·	.0 A
	REF: U 304	
010-0002-0	2N3904 TRANS,NPN	EA B
		.0 A
040 4040 0	REF: Q 501,503,506,507	
010-1013-0	MPSA56 PNP 80V 500MA TO	
		.0 0 A
000 4000 0	REF: Q 502,504,505	
020-1000-0	1N4148 ,RECT-FAST,200MA	
		.0 Al A
	REF: D 303,304,401,504,508	+
	REF: ECO#972601	

020-2107-0	DIODE RECT 1A 1N4003 2.000000 EP 0 0 0.0	EA B
	REF: D 501,502	Α
024-0005-0	CRYSTALL, 18.432 MHZ,HC49	EA B
,	1.000000 EP 0 0 0.0	A
•	REF: X 301	
030-2104-0	CAP,CER,AX,104,10%,50V,X7R	EA B
	38.000000 EP 0 0 0.0 AI	Α
	REF: C 101,102,104,105,106,107,111	
	REF: 112,115,116,119,120,121,122,12	
	REF: 126,127,128,130,132,133,134,13	
	REF: 201,205,209,211,304,305,306,30	07,
	REF: 401,503,504,505,506,507,118	•
030-2270-0	CAP,CER AXIAL,27 PF,10%,50V,NPC	D EAB
	2.000000 EP 0 0 0.0 AI	·A
	REF: C 301,302	•
030-4102-0	CAP,CER AXIAL,102,10%,100V,X7R	EA B
	2.000000 EP 0 0 0.0	Α .
	REF: C 308,509	
031-1227-0	CAP,ELEC,RAD,227,-10%+50%,25V	EA B
•	2.000000 EP 0 0 0.00	Α .
007.0400.0	REF: C 202,206	
037-0106-0	CAP,TAN,RAD,106,10%,6.3V	EA B
	10.000000 EP 0 0 0.0	Α
·	REF: C 138,140,141,142,143,144,145	1
050 1001 0	REF: 210,212 + ECO# 972601	-0/ - - -
050-1001-0	RES,CARBON FILM,100 OHM,1/8W,5	_
	1.000000 EP 0 0 0.0 AI REF: R 306	Α
050-1002-0	RES,CARBON FILM,1K OHM,1/8W,59	% EA B
030-1002-0	4.00000 EP 0 0 0.0 Al	% ЕАВ А
	REF: R 507,511,514,515	A
050-1003-0	RES,CARBON FILM,10K OHM,1/8W,8	5% EA B
000 1000 0	13.000000 EP 0 0 0.0 AI	
	REF: R 305,309,310,408,501,503,504.	
	REF: 505,506,508,509,510,512	,
050-3904-0	RES,CARBON FILM,390K OHM,1/8W	,5% EA B
	3.000000 EP 0 0 0.0 Al	Α 2.Υ.Β.
	REF: R 311,407,513	, ,
060-1213-0	RES,METAL FILM,12.1 K OHM,1/8W,	1% EA B
•	1.000000 EP 0 0 0.0	Α
	REF: R 307	
060-2212-0	RES,METAL FILM,2.21K OHM,1/8W,1	% EA B
	1.000000 EP 0 0 0.0	A
	REF: R 308	
081-0102-0	EMI FILTER, RAD,1000PF	EA B
	4.000000 EP 0 0 0.0	Α
	REF: FIL 201,202,203,502	
081-0103-0		АВ
	7.000000 EP 0 0 0.0	A
	REF: FIL 501,503,504,505,506,507,50	8
091-1004-0	POLY SWITCH,.2A EA	A B
	2.000000 EP 0 0 0.0	Α

20CPU

	REF: F 501,502	2				•
092-0013-0	CON,DSUB,9P	,F,PC,H	OR		EA	В
	1.000000 EP	0	0	0.0	Α	
	REF: P 501					
092-0021-0	JACK,PHONE,	3.5MM, l	10N	NO SB		EA B
	3.000000 EP	0	0	0.0	Α	
	REF: J 501,502	2,503				
093-0009-0	HDR,.1X5,VER	T,MALE	LC,	CK	E	A B
	1.000000 EP	0	0	0.0	Α	
	REF: P 201					
093-0039-0	HDR,.1X2X5,VI	ERT,MA	LΕ,	SHROU	DED	EA B
	1.000000 EP	0	0	0.0	Α	
	REF: P 203					
093-2000-0	HDR,.1X2X10,\	√ERT,M	ALE	E,SHRO	UDED	EA B
	4.000000 EP	0	0	0.0	Α	
	REF: P 204,205	5,206,20	7			
093-2001-0	HDR,2MMX11,	POL,SH	RO	UDED,		EA B
	1.000000 EP	0	0	0.0	Α	
	REF: P 211					
093-2004-0	HDR,2MMX9,V					EA B
	1.000000 EP	0	0	0.0	A	
	REF: P 200					
094-0003-0	SKT,DIP, 6X32	•	•		EA B	
	1.000000 EP	0	0	0.0	Α	
•	REF: U 305					
094-0005-0	SKT,PLCC,TST				EA B	
	1.000000 EP	0	0	0.0	Α	
	REF: U 304					
100-0104-0	BRACKET,.25X		/ST	•	21	EA [·] B
	1.000000 EP	0	0	0.0	. A	
111-0041-0	BOLT,4-40,1/4,		νD		EA B	
	1.000000 EP	0	0	0.00	Α	
153-0105-0	LABEL,BLANK,				EA B	
	1.000000 EP	0	0	0.0	Α	
HA145-0012-0	SIG-2.0 CPU R				EA B	
	1.000000 EP	0	0	0.0 00	Α	

45 COMPONENTS PRINTED

ASM: HA206-0013-1	SIG 2.0 DSP BOARD ASS	SY REV 01	EA M
Gallien Part Number		Description	n ·
001-1078-0	MC33078D DUAL LOW N		
	4.000000 EP 0 0	0.0	A
	REF: U 11,12,13,14		
001-3173-0	TORX173,FIBER OPTICS	RECEIVING	MODULE EA B
			A
	REF: U 9,10		
001-3251-0	QS3251Q,MUX/DEMUX C	QUICK SWITC	CH8 EAB
			A
	REF: U 8		
002-0237-0	Q\$74FCT2373TQ,LATCH	I 8BIT WI <mark>TH</mark> C	DUTPUT RES EA B
	1.000000 EP 0 0	0.0	A
•	REF: U 2		
003-2226-0	SURROUND SOUND 20 I	BIT CODEC	EA B
	1.000000 EP 0 0	0.0	Д
	REF: U 15		
003-2560-0	DSPF56009FJ81 DSP PR	OCESSOR	EA B
•	1.000000 EP 0 0	0.0	A .
	REF: U 6		
003-2B16-0	MICROCONTROLLER,N8	30C251SB16	EA B
	1.000000 EP 0 0	0.0	4
	REF: Ú 3	,	
003-3003-A	PAL	EA B	
	1.000000 EP 0 0	0.0	4
	REF: U 5		
003-4004-A	EPROM,256 KILOBIT CM	OS OTP	EA B
	1.000000 EP 0 0	0.0	4
•	REF: U 1		•
014-0071-0	LM7805CT 5V REG 1A TO	D-220	EA B
	1.000000 EP 0 0	0.0 0	Α
٠	REF: U 7		
024-0001-0	CLOCK OSCILLATOR (HA	ALF SIZE) 12.	.288 MHZ EA B
	1.000000 EP 0 0	0.0	Α
	REF: U 4		
031-0106-1	CAP,ELEC,RAD,106,20%		EA B
	1.000000 EP 0 0	0.0	4
	REF: ECO # 972062		
031-0108-0	CAP,ELEC,RAD,108,-10%	•	EA B
	1.000000 EP 0 0	0.00	A
	REF: ECO # 972062		
040-2101-0	CAP,CER,101,5%,50V,NP		
		0.0	4
0.40.0400.0	REF: C 57,63		
040-2103-0	CAP,CER,103,X7R,50V,12		EA B
•		0.0	A
• •	REF: C 2,3,4,6,7,8,9,10,11		
	REF: 15,16,17,18,19,21,22		
040.0400.0	REF: 30,31,32,33,34,35,38		
040-2103-0	CAP,CER,103,X7R,50V,12		EA B
	49.000000 EP 0 0		Α
*	REF: 54,59,60,67,68,81,82	2,83,84,85,86	

20DSP

040-2222-0	REF: 87,88,89,90 CAP,CER,222,10%,50V,X7R,1206,SM	IT EA B
	1.000000 EP 0 0 0:0	Α
	REF: C 71	
040-2270-1	CAP,CER,27,20%,50V,X7R,1026,SM	
	1.000000 EP 0 0 0.0 REF: C 5	Α
040-2271-0	CAP CER,271,X7R,50V,1206	EA B
	6.000000 EP 0 0 0.0	Α
	REF: C 42,43,50,51,58,65	
040-2331-0	CAP,CER,331,X7R,50V,1206	EA B
	5.000000 EP 0 0 0.0	Α
	REF: C 72,73,74,75,76	
040-2681-0	CAP, CERAMIC, 681, 5%, 50V, Z5U, 120	6,SMT EA B
	6.000000 EP 0 0 0.0	A
	REF: C 36,37,46,47,52,61	
047-0105-0	CAP, TANT, 105, 20%, 16V, A CASE, SM	IT EA B
	4.000000 EP 0 0 0.0	Α
	REF: C 1,66,70,77	, ,
047-0106-1	CAP,TANT,106,20%,6.3V,C CASE,SM	MT EAB
047 0100 7	14.000000 EP 0 0 0.0	
	REF: C 23,29,40,41,48,49,55,56,62,64	
	REF: 69,78,79,80	т,
047-1105-0	CAP,TANT,105,20%,25V,A CASE,32°	16 EA B
047-1103-0	2.000000 EP 0 0 0.0	A.
	REF: C 20,25	
051-0200-0	RES,CARBON FILM,2 OHM,1/4W,5%	EA B
031-0200-0	1.000000 EP 0 0 0.0	A
	REF: ECO # 972062	
062-0000-0	RES,CF,0 OHM,1/8W,5%,1206,SMT	EA B
002-0000-0	1.000000 EP 0 0 0.0	A
	REF: R 44	A
063-1372-0	RES,METAL FILM,13.7K OHM,1/8W,	1% 1206 EA B
003-1372-0	7.000000 EP 0 0 0.0	A
	REF: R 16,18,22,24,29,34,43	A
063-1501-0	RES,METAL FILM,150 OHM,1/8W,1%	6,1206 EA B
063-1501-0	13.000000 EP 0 0 0.0	6,1200 EA B
•		
063 2003 0	REF: R 1,2,4,5,6,7,8,9,10,38,39,40,41	
063-2003-0	RES,METAL FILM,20K OHM,1/8W,19 2,000000 EP 0 0 0.0	
		Α
000 5000 0	REF: R 27,32	40/ 4006
063-5622-0	RES,METAL FILM,5.62K OHM,1/8W,	_
	6.000000 EP 0 0 0.0	А
000 5000 0	REF: R 15,17,21,23,28,33	, 40/ 4000 FA B
063-5623-0	RES,METAL FILM,56.2K OHM,1/8W,	
	6.000000 EP 0 0 0.0	Α
000 7500 0	REF: R 19,20,25,26,30,36	1000 EA D
063-7500-0	RES,METAL FILM,75 OHM,1/8W,1%	_
	5.000000 EP 0 0 0.0	Α
	REF: R 3,11,12,13,14	
063-7503-0	RES,METAL FILM,75K OHM,1/8W,19	
	1.000000 EP 0 0 0.0	Α
	REF: R 42	

20DSP

081-0011-0	INDUCTOR,AX,HIQ,820UH EA B
•	1.000000 EP 0 0 0.0 A REF: ECO # 970262
085-0106-0	FERRITE,SMT,3216 EA B
	1.000000 EP 0 0 0.0 A
	REF: L 4
085-0106-1	FERRITE,SMT,4532 EA B
	5.000000 EP 0 0 0.0 A
,	REF: L 5,6,7,8,9
085-0336-0	INDUCTOR,SMT,33 UH,1206 EA B
•	1.000000 EP 0 0 0.0 A
092-0020-0	JACK,RCAX4,H,PC,GOLD EA B
	1.000000 EP 0 0 0.0 A
093-0010-0	HDR, 1X5, HORIZ, POL, LOCK RAMP EA B
•	1.000000 EP 0 0 0.0 A
	REF: P 3
093-0019-0	HDR,.1X2X8,VERT,SHROUDED EA B
•	1.000000 EP 0 0 0.0 A
	REF: P 4
093-0039-0	HDR,.1X2X5,VERT,MALE,SHROUDED EA B
093-0039-0	HDR,.1X2X5,VERT,MALE,SHROUDED EA B 1.000000 EP 0 0 0.0 A
093-0039-0	
	1.000000 EP 0 0 0.0 A
	1.000000 EP 0 0 0.0 A REF: P 1
	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B
	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A
093-0041-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5
093-0041-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B
093-0041-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A
093-0041-0 094-0073-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A REF: U 1
093-0041-0 094-0073-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A REF: U 1 WIRE,14GA,BLACK,600V FT B
093-0041-0 094-0073-0 095-0500-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A REF: U 1 WIRE,14GA,BLACK,600V FT B 0.167000 EP 0 0 0.0 0 A
093-0041-0 094-0073-0 095-0500-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A REF: U 1 WIRE,14GA,BLACK,600V FT B 0.167000 EP 0 0 0.0 0 A BRACKET,.25X.25,KEYSTONE,#621 EA B
093-0041-0 094-0073-0 095-0500-0 100-0104-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A REF: U 1 WIRE,14GA,BLACK,600V FT B 0.167000 EP 0 0 0.0 A BRACKET,.25X.25,KEYSTONE,#621 EA B 1.000000 EP 0 0 0.0 A
093-0041-0 094-0073-0 095-0500-0 100-0104-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A REF: U 1 WIRE,14GA,BLACK,600V FT B 0.167000 EP 0 0 0.0 0 A BRACKET,.25X.25,KEYSTONE,#621 EA B 1.000000 EP 0 0 0.0 A BOLT,4-40,1/4,PHP,CAD EA B 1.000000 EP 0 0 0.0 0 A LABEL,BLANK, 9"X.25" EA B
093-0041-0 094-0073-0 095-0500-0 100-0104-0 111-0041-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A REF: U 1 WIRE,14GA,BLACK,600V FT B 0.167000 EP 0 0 0.0 0 A BRACKET,.25X.25,KEYSTONE,#621 EA B 1.000000 EP 0 0 0.0 A BOLT,4-40,1/4,PHP,CAD EA B 1.000000 EP 0 0 0.0 0 A
093-0041-0 094-0073-0 095-0500-0 100-0104-0 111-0041-0	1.000000 EP 0 0 0.0 A REF: P 1 HDR,.1X2X10,VERT,MALE EA B 1.000000 EP 0 0 0.0 A REF: P 5 SKT,PLCC,SMTX32,RECT EA B 1.000000 EP 0 0 0.0 A REF: U 1 WIRE,14GA,BLACK,600V FT B 0.167000 EP 0 0 0.0 0 A BRACKET,.25X.25,KEYSTONE,#621 EA B 1.000000 EP 0 0 0.0 A BOLT,4-40,1/4,PHP,CAD EA B 1.000000 EP 0 0 0.0 0 A LABEL,BLANK, 9"X.25" EA B

47 COMPONENTS PRINTED

	•		
ASM: HA206-0016-0	SIG 2.0 BUTTON LOGO P	ANEL BOARD	ASSY EA M
Gallien Part Number		Description	
010-0002-0	2N3904 TRANS,NPN	EA	R
• • • • • • • • • • • • • • • • • • • •	1.000000 EP 0 0		
•	REF: Q 201	0.0 A	
010-1000-0	2N3906 PNP 40V 100MA	TO 02	EA B
010 1000 0		0.00 A	
	REF: Q 202,501	0.00	`
025-0003-0	IR RECEIVER,38KHZ,W/C	I ID TEMT 520	DO EAD
020-0000-0		0.0 A	
•	REF: U 501	0.0 A	
025-0024-0	LED,AMBER,T1,580NM		А В
	1.000000 EP 0 0		
	REF: D 201	0.0 A	
025-0030-0	LED,BLUE,T1,.190,470NM	LOMALI	EA B
020-0000-0			
	REF: D 202,203,204,205,2 REF: 209,210	00,207,200,	
030-2104-0	CAP,CER,AX,104,10%,50\	/ V7D	EA B
000-2104-0	3.000000 EP 0 0		
	REF: C 502,504,506	0.0 AI F	`
031-1476-0	CAP,ELEC,RAD,476,20%,	25/	EA B
001-1-70-0		23V 0.0 A	
	REF: C 501,503	0.0 A	
038-0336-0	CAP,ELEC,AXIAL TR,336,	20% 25\/	EA B
000 0000 0		2076,2 3V 0.0 Al <i>A</i>	
•	REF: C 505	0.0 AI F	
050-1003-0	RES,CARBON FILM,10K C	OHM 1/8\W 5%	EA B
	8.000000 EP 0 0		
. •	REF: R 501,203,204,205,2		•
	REF: 210	o.,200, 2 00,	
050-1501-0	RES,CARBON FILM,150 C	HM.1/8W.5%	EA B
	1.000000 EP 0 0		
	REF: R 206		•
050-3001-0	RES,CARBON FILM,300 C	HM.1/8W.5%	EA B
	•	0.0 A	
	REF: R 502		
050-6801-0	RES,CARBON FILM,680 C	HM,1/8W,5%	EA B
•	1.000000 EP 0 0		
	REF: R 202		
058-1003-0	RES,SIP 10K OHMS X 9	EA	В
	1.000000 EP 0 0	0.0 0 A	١
	REF: R 201		
081-0004-0	INDUCTOR,100UH	EA I	3
	2.000000 EP 0 0	0.0 , A	•
	REF: L 501,502		
090-0007-0	SWITCH,8A/128A,250V,PF	P,PCB	EA B
	1.000000 EP 0 0	0.0 A	
	REF: SW 101		•
090-0040-0	SWITCH PC SPST MOM T	L2101	EA B
	8.000000 EP 0 0	7.	
	REF: SW 201,202,203,204	,205,206,207	

20FPNL

	REF: SW 201 (STANDBY BOARD)
090-1001-0	ENCODER,ROTARY,VPCMNT, 24 POS EA B
	1.000000 EP 0 0 0.0 A
	REF: SW 301
092-0066-0	FASTON,M,PC,.250" EA B
	2.000000 EP 0 0 0.0 A
	REF: P 101,102
093-0010-0	HDR,.1X5,HORIZ,POL,LOCK RAMP EA B
	1.000000 EP 0 0 0.0 A
	REF: P 202
093-0044-0	HDR,2MMX3,HORIZ,MALE,LOCK EA B
	4.000000 EP 0 0 0.0 A
,	REF: P 201,203,204,301
093-2000-0	HDR, 1X2X10, VERT, MALE, SHROUDED EA B
	1.000000 EP 0 0 0.0 A
	REF: P 501
093-2001-0	HDR,2MMX11,POL,SHROUDED, EA B
	1.000000 EP 0 0 0.0 A
•	REF: P 201 (BUTTON LOGO BOARD)
094-0002-0	SKT,STRIP,TST,2X7,HORIZ EA B
	1.000000 EP 0 0 0.0 A
	REF: P 502
100-0121-0	SPACER,LED,NYLON,0.250"X0.187" EA B
	10.000000 EP 0 0 0.0 A
	REF: D 201,202,203,204,205,206,207,
	REF: 208,209,210
153-0105-0	LABEL,BLANK,.9"X.25" EA B
	1.000000 EP 0 0 0.0 A
HA145-0016-A	SIG 2.0 BUTTON LOGO PANEL RAW PCB EA B
	1.000000 EP 0 0 0.000 A
	REF: the panel consists of 5 boards:
	REF: HA145-0005-0 Pwr switch board
	REF: HA145-0007-0 VFD/IR board
	REF: HA145-0008-0 Standby board
	REF: HA145-0009-0 Button logo board
	REF: HA145-0010-0 Rotary ecoder board

26 COMPONENTS PRINTED

ASM: HA302-1020-A

SIG 2.0 230V

Gallien Part Number	Description
014-0031-0	LM7815 +15V REG 1A TO-220
	1.000000 EP 0 0 0.00
	REF: U 204
014-0071-0	LM7805CT 5V REG 1A TQ-220
011 0071 0	3.000000 EP 0 0 0.00
	REF: U 201,202,203
014-1001-0	VOLTAGE REGULATOR,TO-220 IN,-5V,7905
014-1001-0	1.000000 EP 0 0 0.0
	REF: U 208
044 4022 0	
014-1032-0	LM7915 -15V REG 1A TO-220
	1.000000 EP 0 0 0.00
005 4000 0	REF: U 206
025-1000-0	DISPLAY,VF
	1.000000 EP 0 0 0.0
080-0032-2	TRANSFORMER SIG 2.0,10V@2.2A,230V
	1.000000 EP 0 0 0.0 02
080-0033-2	TRANSFORMER SIG 2.0,36V@1.1A,230V
	1.000000 EP 0 0 0.0 02
091-0032-0	FUSE,5MM,400MA,250V,SLB,SEMKO/VDE
	1.000000 EP 0 0 0.0
091-0039-0	FUSE,5MM,315MA,250V,SLB,UL/CSA/SEMKO
	1.000000 EP 0 0 0.0
	REF: F 102
093-0003-1	HDR,.1X2X7,HORIZ,MALE
•	1.000000 EP 0 0 0.0
	REF: VFD HEADER
093-0066-0	SHUNT .1",TIN,2 POS,
	1.000000 EP 0 0 0.00
094-0019-0	LUG,#6,SOLDER
	1.000000 EP 0 0 0.00
095-0007-0	CORD,2X.75MM,2.5A/250V,FLAT,8FT,EXP
	1.000000 EP 0 0 0.0
095-0500-0	WIRE,14GA,BLACK,600V
	0.700000 EP 0 0 0.0 0
096-0000-0	AAA ALKALINE BATTERY
	2.000000 EP 0 0 0.0
100-0007-0	SIG 2.0, WINDOW
·	1.000000 EP 0 0 0.0
100-0011-0	STRAIN RELIEF,SPT-2,UL,CSA
	1.000000 EP 0 0 0.0
100-0033-0	CABLE TIE - PLT 1M-M,SMALL
	12.000000 EP 0 0 0.00
100-0121-0	SPACER,LED,NYLON,0.250"X0.187"
	6.000000 EP 0 0 0.0
100-0126-0	HOLDER, CABLE TIE .75" SQUARE, ADHESIVE BK
•	2.000000 EP 0 0 0.0
101-0002-0	FOOT BLACK ANODIZED/RUBBER GASKET
· · · · · · · · · · · · · · · · · · ·	4.000000 EP 0 0 0.0
102-0000-0	BUTTON, LARGE,CIT 7.0
	1.000000 EP 0 0 0.0

20MAIN

102-0001-0	BUTTON, SMALL, CIT 7.0
	7.000000 EP 0 0 0.0
102-0002-0	KNOB,2',ALUM CAP,BLACK,UNMARKED
	1.000000 EP 0 0 0.0
102-0003-0	BUTTON CAP, LOUDNESS, H/K
	1.000000 EP 0 0 0.0
105-0001-0	INSULATOR TAPE,1"X7MIL ADHESIVE BACK
	0.500000 EP 0 0 0.00
111-0051-0	BOLT,4-40,5/16,PHP,CAD
	2.000000 EP 0 0 0.00
111-0061-0	BOLT,4-40,3/8,PHP,CAD
	1.000000 EP 0 0 0.00
111-1040-1	BOLT,4-40,1/4UFHP,BZ,UNDERCUT FLAT
•	3.000000 EP 0 0 0.0
111-2041-0	BOLT,4-40,1/4,PHP,INT STAR WSHR,ZINC
	4.000000 EP 0 0 0.00
111-2080-0	BOLT,4-40,1/4,ZINC
	2.000000 EP 0 0 0.00
111-3080-0	SCREW,4AB,1/2,PHP,B.Z.
	13.000000 EP 0 0 0.00
111-6001-0	NUT,4-40,KEP SMALL
444 = 244 2	1.000000 EP 0 0 0.00
111-7011-0	WASHER,#4,SPLIT
	2.000000 EP 0 .0 0.0 0
111-8061-0	TR-BOLT,4-40,3/8,PHP,CAD
	6.000000 EP 0 0 0.0 0
111-8101-0	TR-BOLT,4-40,5/8,PHP,CAD
440,0040,0	6.000000 EP 0 0 0.0 0
112-0040-0	BOLT,6-32,1/4,PHP,ZINC
140,0004.0	32.000000 EP 0 0 0.0
112-0081-0	BOLT,6-32,1/2,PHP,CAD
112 6001 0	4.000000 EP 0 0 0.0 0
112-6001-0	NUT,6-32,KEP LARGE,CAD 6,000000 EP 0 0 0.0 0
112-6015-0	STANDOFF,6-32X22/16,NYLON
112-0015-0	3.000000 EP 0 0 0.0
112-8040-0	TR-BOLT,6-32,1/4,PHP,B.Z.
112-8040-0	24.000000 EP 0 0 0.0 PP
112-8041-0	TR-BOLT,6-32,1/4",PHP,ZINC
112-0041-0	1.000000 EP 0 0 0.0
119-6000-0	NUT,M9X.75MM,PANEL ZNC
119-0000-0	1.000000 EP 0 0 0.0
119-7000-0	WASHER,M9,ZNC,FLAT
119-7000-0	1.000000 EP 0 0 0.0
150-0023-0	BAG,POLY 10 X 16 1 1/2 MILL
100 0020 0	2.000000 EP 0 0 0.00
150-0099-0	BAG,POLY 24"X24"X2MIL ANTISTATIC
100 0000 0	1.000000 EP 0 0 0.00
153-0000-0	TIE WRAP,BLACK
	1.000000 EP 0 0 0.0
153-0100-2	SAFTEY LABEL(RISK OF FIRE), ENGL/FREN
	1.000000 EP 0 0 0.0
153-0101-0	LABEL,SERIAL #,SIGNATURE 2.0
* * -	,

20MAIN

	1.000000 EP 0 0 0.0
153-0103-0	LABEL,CE,PRODUCT
	1.000000 EP 0 0 0.0
153-0104-0	LABEL,CE,OUTER PACKING
. ·	1.000000 EP 0 0 0.0
160-0005-0	GROUNDING SAFETY SHEET
	1.000000 EP 0 0 0.00
HA080-0001-0	XFORMER, FM MATCHING, 230V SIG 2.0
	1.000000 EP 0 0 0.0
HA130-0000-0	OVERLAY, SIG 2.0 REMOTE CONTROL OVERLAY
	1.000000 EP 0 0 0.0
HA132-0017-0	SIG 2.0,HEAT SINK
	1.000000 EP 0 0 0.0 00
HA132-0018-3	SIG 2.0 CHASSIS
	1.000000 EP 0 0 0.0 03
HA132-0019-0	SIG 2.0,TOP COVER
	1.000000 EP 0 0 0.000
HA132-0020-A	SIG 2.0 FRONT PANEL
	1.000000 EP 0 0 0.0 04
HA132-0021-A	LOGO, SIGNATURE SERIES, ACRYLIC
	1.000000 EP 0 0 0.0
HA132-0022-6	SIG 2.0,SUBCHASSIS
	1.000000 EP 0 0 0.006
HA132-0023-0	SIG 2.0, VOLUME MOUNTING BRACKET
114400 0004 4	1.000000 EP 0 0 0.0 00
HA132-0024-1	SIG 2.0 SHIELD TRANSFORMER
110422 0005 0	1.000000 EP 0 0 0.0 01
HA132-0025-0	SIG 2.0,HOUSING TRANSFORMER
HA150-0002-A	1.000000 EP 0 0 0.0 00
HA150-0002-A	SIG 2.0 CARTON 1.000000 EP 0 0 0.0
HA151-0003-A	1.000000 EP 0 0 0.0 SIG 2.0 FOAM PACK
11A101-0003-A	1.000000 EP 0 0 0.0
HA151-0005-0	SIG 2.0,PAD,LARGE
11/11/01/00000	2.000000 EP 0 0 0.0
HA151-0006-0	SIG 2.0,PAD,SMALL
,	2.000000 EP 0 0 0.0
HA153-0100-0	LABEL,TRANSFORMER,SIG 2.0
	2.000000 EP 0 0 0.0
HA153-0101-0	LABEL,REAR CHASSIS 230V,SIG 2.0
	1.000000 EP 0 0 0.0
HA153-0103-0	LABEL, UPC, 230V, SIG 2.0
	2.000000 EP 0 0 0.0
HA153-0105-0	LABEL, FUSE RATING, SIG 2.0, 230V
	1.000000 EP 0 0 0.0 A
HA160-0007-A	SIG 2.0/230V OWNER'S MANUAL
	1.000000 EP 0 0 0.0 A
HA202-0000-0	WIRE ASSY,26GA,YEL,17",11PIN
	1.000000 EP 0 0 0.000
HA202-0001-0	WIRE ASSY,26GA,BLU,3",3PIN
	2.000000 EP 0 0 0.000
HA202-0002-0	WIRE ASSY,26GA,ORG,17",9PIN
	1.000000 EP 0 0 0.000

20MAIN

HA202-0100-0	WIRE ASSY,22GA,GRN,5",5PIN
HA202-0101-0	1.000000 EP 0 0 0.0 00 WIRE ASSY,22GA,BLK,12",5PIN
•	1.000000 EP 0 0 0.000
HA202-0102-0	WIRE ASSY,22GA,BRN,12",5PIN
	1.000000 EP 0 0 0.0 00
HA202-0103-0	WIRE ASSY,22GA,RED,15",5PIN
	1.000000 EP 0 0 0.0 00
HA202-0104-0	WIRE ASSY,22GA,PUR,18",5PIN
	1.000000 EP 0 0 0.0 00
HA202-0105-0	WIRE ASSY,22GA,GRY,7",8PIN
	1.000000 EP 0 0 0.0 00
HA202-0106-0	WIRE ASSY,18GA,BLK,6"
	1.000000 EP 0 0 0.0 01
HA202-0107-0	WIRE ASSY,22GA,BLK,10,SPEAKER
114000 0000 0	1.000000 EP 0 0 0.0
HA202-0300-0	WIRE ASSY,14GA,GRN,6"
	1.000000 EP 0 0 0.0 01
HA202-0301-0	WIRE ASSY,16GA,RED,8" 2.000000 EP 0 0 0,000
HA202-0500-0	RIBBON ASSY,28GA,F-F,8",10PIN
11A202-0300-0	1.000000 EP 0 0 0.000
HA202-0501-0	RIBBON ASSY,28GA,F-F,9",16PIN
11/202-0001-0	1.000000 EP 0 0 0.000
HA202-0502-0	RIBBON ASSY,28GA,F-F,11",20PIN
	2.000000 EP 0 0 0.000
HA202-0503-0	RIBBON ASSY,28GA,F-F,5",20PIN
	1.000000 EP 0 0 0.000
HA202-0504-0	RIBBON ASSY,28GA,F-F,15",20PIN
	1.000000 EP 0 0 0.000
HA205-2000-0	SIG 2.0 AM ANTENNA LOOP
	1.000000 EP 0 0 0.0
HA205-2001-0	SIG 2.0 FM DIPOLE ANTENNA
	1.000000 EP 0 0 0.0
HA206-0006-1	SIG 2.0 POWER SUPPLY BOARD ASSY REV 01
114000 0044 0	1.000000 EP 0 0 0.0 01
HA206-0011-2	SIG 2.0 VIDEO BOARD ASSY REV02
HA206-0012-0	1.000000 EP 0 0 0.0 02 SIG 2.0 CPU BOARD ASSY
11A200-0012-0	1.000000 EP 0 0 0.000
HA206-0013-1	SIG 2.0 DSP BOARD ASSY REV 01
17,200 0010 1	1.000000 EP 0 0 0.0 01
HA206-0014-A	SIG 2.0 TUNER BOARD ASY EUR
	1.000000 EP 0 0 0.0 A
HA206-0015-3	SIG 2.0 AUDIO BOARD ASY,REV03
	1.000000 EP 0 0 0.003
HA206-0016-0	SIG 2.0 BUTTON LOGO PANEL BOARD ASSY
	1.000000 EP 0 0 0.000
	REF: the board cosists of 5 parts
•	REF: HA206-0005-0 Pwr Switch Assy
	REF: HA206-0007-0 VFD/IR Assy
	REF: HA206-0008-0 Standby Assy
	REF: HA206-0009-0 Button logo Assy

HA304-0000-0

REF: HA206-0010-0 Rotary Encoder SIG 2.0 REMOTE CONTROL IR 1.000000 EP 0 0 0.0

100 COMPONENTS PRINTED

20PWRSUP

ASM: HA206-0006-1 SIG 2.0 POWER SUPPLY BOARD ASSY REV 01 EA M **Gallien Part Number** Description 010-0002-0 2N3904 TRANS, NPN EA B 1.000000 EP Α 0.0 REF: Q 202 010-0012-0 MPSA06 NPN 80V 500MA TO-92 EA B 1.000000 EP 0 0.00 REF: Q 101 011-1117-0 TIP117 PNP 100V 2A TO-220 EA B 1.000000 EP 0 **REF: Q 203** 014-0003-0 78L06, VOLTAGE REGULATOR, +6V, TO-92 1.000000 EP 0 0.0 **REF: U 205** 014-1002-0 79L06, VOLTAGE REGULATOR, TO-92, -6V 1.000000 EP 0 0.0 REF: U 207 020-1121-0 DIODE RECT 3A 1N5402 EA B 8.000000 EP 0 0.0 REF: D 203,204,205,206,209,210,211, 'REF: 212 020-2107-0 EA B DIODE RECT 1A 1N4003 9.000000 EP 0 0.0 REF: D 101,202,207,208,213,214,215, REF: 216,217 022-0070-0 MOV,RAD DISC,14MM,250V EA B 1.000000 EP 0 0 0.0 Α REF: MOV 101 030-2104-0 CAP, CER, AX, 104, 10%, 50V, X7R EA.B 18.000000 EP 0 0.0 AI Α REF: C 101,102,201,202,206,207,209 REF: 210,213,214,216,217,220,221,223 REF: 224,226,227 EA B 031-1476-0 CAP,ELEC,RAD,476,20%,25V 7.000000 EP 0 0.0 REF: C 203,208,211,215,222,228,229 031-2106-0 CAP,ELEC,RAD,106,-10%+50%,50V EA B 4.000000 EP 0 0 0.0 0 Α REF: C 218,225,230,231 031-2338-0 CAP,ELEC,RAD,338,20%,35V EA B 4.000000 EP 0 REF: C 204,205,212,219 CAP,PE,104,20%,250V 032-7104-0 EA B 2.000000 EP 0 0.00 REF: C 232,233 050-0000-0 RES,METAL WIRE,0 OHM,1/8W EA B 2.000000 EP 0.0 AI 0 Ą REF: R 104,105 050-1003-0 RES, CARBON FILM, 10K OHM, 1/8W, 5% EA B 3.000000 EP 0.0 Al REF: R 102,203,205 050-2002-0

EA B

RES, CARBON FILM, 2K OHM, 1/8W, 5%

20PWRSUP

	2.000000 EP		0	0.0	Α	
	REF: R 103,204					
053-8205-0	RES,CARBON F					EA B
	1.000000 EP	0	0	0.0	. A	
	REF: R 101					
057-3300-0	RES,WIRE WO	UND,33	3 OF	ΗM,10W,	5%	EA B
	2.000000 EP	0	0	0.0	Α	
	REF: R 206,207					
081-0005-0	FERRITE BEAD	,AX, T	YPE	39	EA	В
	2.000000 EP	0	0	0.0	Α	
	REF: FB 101,10	2				
084-0003-0	RELAY, PC NPS	SS TYF	PE 1	,5V	EA	В
	1.000000 EP	0	0	0.0	Α	
	REF: K 101					
092-0024-0	FASTON,M,PC,	.187"			EA B	
	1.000000 EP	0	0	0.0	Α	
	REF: J 101					
092-0066-0	FASTON,M,PC,	.250"			EA B	•
	8.000000 EP	0	0	0.0	Α	
	REF: J 102,103,104,105,106,107,201,					
	REF: 202		·		·	á.
093-0009-0	HDR,.1X5,VER	T,MALE	E,LC	OCK	EA	В
	7.000000 EP		0		A	
	REF: P 101,102		04.1	05.201.2	02	
094-0004-1	FUSE CLIP, 5M					АВ
	4.000000 EP			0.0	Α	
153-0105-0	LABEL,BLANK,				EA B	
	1.000000 EP			0.0	Α	
HA145-0006-0	SIG 2.0 POWER				REV 01	EA B
,	1.000000 EP		0	0.0 01	,A	

26 COMPONENTS PRINTED

ASM: HA206-0011-2	SIG 2.0 VIDEO BOARD ASSY REV02 EA M
Gallien Part Number	Description
001-1030-1	TL072CP, LOW NOISE JFET OPAMP EA B
	2.000000 EP 0 0 0.0 A
	REF: U 502,602
002-0053-0	HC4053, ANALOG SWITCH TRPL, 2 TO 1 EA B
	4.000000 EP 0 0 0.0 A
	REF: U 401,402,503,701
002-0054-0	HC4052, ANALOG SWITCH DUAL 4 TO 1 EA B
	2.000000 EP 0 0 0.0 A
•	REF: U 802,901
002-0055-0	HC4051, ANALOG SWITCH SNGL 8 TO 1 EA B
	2.000000 EP 0 0 0.0 A
	REF: U 301,302
003-0581-0	EL4581CS, VIDEO SYNC SEPARATOR EA B
	1.000000 EP 0 0 0.0 A
	REF: U 601
003-1075-0	MB90075,OSD,S-VIDEO EA B
•	1.000000 EP 0 0 0.0 A
	REF: U 702
010-0002-0	2N3904 TRANS,NPN EA B
•	5.000000 EP 0 0 0.0 A
	REF: Q 601,603,701,702.703
010-1000-0	2N3906 PNP 40V 100MA TO-92 EA B
	1.000000 EP 0 0 0.00 A
	REF: Q 602
010-1004-0	OPAMP, DUAL VIDEO, MC14576 EA B
	5.000000 EP 0 0 0.0 A
•	REF: U 303,403,501,805,903
020-1000-0	1N4148 ,RECT-FAST,200MA,100V,4NS,DO-35 EA B
	1.000000 EP 0 0 0.0 AI A
	REF: D 701
024-0002-0	CRYSTAL, 14.31818 MHZ, HC49S EA B
	1.000000 EP 0 0 0.0 A
	REF: X 702
024-0003-0	CRYSTAL, 17.734475 MHZ, HC49S EA B
	1.000000 EP 0 0 0.0 A
	REF: X 701
030-2103-0	CAP,CER,AX,103,10%,50V,X7R EA B
	2.000000 EP 0 0 0.0 Al A
	REF: C 502,503
030-2104-1	CAP,CER AX,104,50V,20%,Z5U EA B
*	3 7.000000 EP 0 0 0.0 A
	REF: C 150,151,153,154,304,306,313,
· •	REF: 315,401,402,405,506,508,511,512
•	REF: 602,603,604,605,606,701,702,704
	REF: 705,706,713,811,813,815,816,818
000 0070 0	REF: 901,906,908,910,501,509
030-2270-0	CAP,CER AXIAL,27 PF,10%,50V,NPO EA B
	3.000000 EP 0 0 0.0 AI A
000 4404 0	REF: C 708,709,710
030-4101-0	CAP,CER AXIAL,101,5%,100 V,COG EA B

20VIDEO

	1.000000 EP 0 0 0.0 A REF: C 712
030-4471-0	CAP,CER AXIAL,471,5%,100V,X7R EA B 1.000000 EP 0 0 0.0 A REF: C 601
031-0106-1	CAP,ELEC,RAD,106,20%,25V,NP EA B 4.000000 EP 0 0 0.0 A
031-1227-0	REF: C 302,407,812,902 CAP,ELEC,RAD,227,-10%+50%,25V EA B 2.000000 EP 0 0 0.00 A
031 - 2106-0	REF: C 314,316 CAP,ELEC,RAD,106,-10%+50%,50V EA B 5.000000 EP 0 0 0.0 0 A
036-2105-0	REF: C 301,303,307,308,309,312,403 REF: 404,505,507,703,814,817,907,909 CAP,PE,RAD,105,5%,50V EA B
	3.000000 EP 0 0 0.0 A REF: C 504,510,610
050-0000-0	RES,METAL WIRE,0 OHM,1/8W EA B 4.000000 EP 0 0 0.0 Al A REF: R 312,319,320,902
050-0101-0 1	RES,CARBON FILM,10 OHM,1/8W,5% EA B 2.000000 EP 0 0 0.0 Al A REF: R 308,311,404,406,502,504,506,
050-1001-0	REF: 507,819,822,916,917 RES,CARBON FILM,100 OHM,1/8W,5% EA B 5.000000 EP 0 0 0.0 Al A
050-2002-0	REF: R 101,102,103,104,307,313,314, REF: 318,510,511,704,817,820,907,910 RES,CARBON FILM,2K OHM,1/8W,5% EA B
•	1.000000 EP 0 0 0.0 A REF: R 608
050-2702-0	RES,CARBON FILM,2.7K OHM,1/8W,5% EA B 1.000000 EP 0 0 0.0 Al A REF: R 612
050-3305-0	RES,CARBON FILM,3.3M OHM,1/8W,5% EA B 5.000000 EP 0 0 0.0 A REF: R 512,513,836,837,918
050-4701-0	RES,CARBON FILM,470 OHM,1/8W,5% EA B 4.000000 EP 0 0 0.0 Al A REF: R 606,705,706,707
050-6801-0	RES,CARBON FILM,680 OHM,1/8W,5% EA B 1.000000 EP 0 0 0.0 AI A REF: R 601
050-7500-0	RES,CARBON FILM,75 OHM,1/8W,5% EA B 6.000000 EP 0 0 0.0 A REF: R 301,302,303,304,305,306,309, REF: 401,402,407,409,412,413,823,825
060-1002-0	REF: 913 RES,METAL FILM,1.00K,1/8W,1% 6.000000 EP 0 0 0.0 Al A REF: R 610,903,904,905,906 REF: + Harman ECO # 973232

20VIDEO

060-1003-0	RES,METAL FILM,10.0K OHM,1/8W,1% EA B 1 2.000000 EP 0 0 0.0 AI A REF: R 310,403,405,501,503,508,609,
	REF: 613,702,821,818,908
060-1004-0	RES,METAL FILM,100K,1/8W,1% EA B
	1.000000 EP 0 0 0.0 AI A
. "	REF: R 605
060-1302-0	RES,METAL FILM,1.3 KOHM,1/8W,1% EA B
	1.000000 EP 0 0 0.0 A
	REF: R 604
060-3322-0	RES,METAL FILM, 3.32 K OHM,1/8W,1% EA B
	2.000000 EP 0 0 0.0 A
	REF: R 603,607
060-4992-0	RES,METAL FILM,4.99K OHM,1/8W,1% EA B
	2.000000 EP 0 0 0.0 Al A
	REF: R 505,509
060-6804-0	RES,METAL FILM,680K OHM,1/8W,1% EA B
000-0004-0	
	1.000000 EP 0 0 0.0 A
000 0040 0	REF: R 602
060-6812-0	RES,METAL FILM,6.81K OHM,1/8W,1% EA B
	1.000000 EP 0 0 0.0 AI A
·	REF: R 611
071-0010-0	CAP,VAR,10PF EA B
	1.000000 EP 0 0 0.0 A
	REF: C 711
071-0030-0	CAP,VAR,30PF EA B
	1.000000 EP 0 0 0.0 A
	REF: C 715
081-0005-0	FERRITE BEAD,AX, TYPE39 EA B
	6.000000 EP 0 0 0.0 A
•	REF: FB 301,401,402,803,804,901
081-0010-0	INDUCTOR,AX,HIQ,33UH EA B
00.00.00	1.000000 EP 0 0 0.0 A
·	REF: L 701
081-0103-0	
081-0103-0	
	3.000000 EP 0 0 0.0 A
000 0000 0	REF: FIL 701,702,703
092-0006-0	CON,2XDINX5PIN,F,PC,H,SHIELD EA B
	2.000000 EP 0 0 0.0 A
•	REF: P 401,402
092-0007-2	JACK RCAX4 HORIZ GOLD YELLOW EA B
	2.000000 EP 0 0 0.0 A
	REF: J 301,302
093-0009-0	HDR,.1X5,VERT,MALE,LOCK EA B
	1.000000 EP 0 0 0.0 A
	REF: P 202
093-0022-0	HDR,.1X2,VERT,GOLD,N-LOCK EA B
	2.000000 EP, 0 0 0.0 A
	REF: P 203,701
093-2000-0	HDR,.1X2X10,VERT,MALE,SHROUDED EA B
300 2000 0	1.000000 EP 0 0 0.0 A
	REF: P 201
100 0104 0	
100-0104-0	BRACKET, 25X.25, KEYSTONE, #621 EA B

20VIDEO

,	2.000000 EP 0 0 0.0	Α
111-0041-0	BOLT,4-40,1/4,PHP,CAD	EA B
	2.000000 EP 0 0 ·0.00	Α
HA145-0011-2	EA B	
	1.000000 EP 0 0 0.0 02	Α

51 COMPONENTS PRINTED