


JVC

SERVICE MANUAL

MICRO COMPONENT SYSTEM

UX-H300,UX-H330,UX-H350



| | |
|--------------------|--------------------|
| UX-H300 | |
| Area suffix | |
| US ----- | Singapore |
| UT ----- | Taiwan |
| UW ----- | Brazil,Mexico,Peru |
| UX-H330 | |
| Area suffix | |
| UT ----- | Taiwan |
| UW ----- | Brazil,Mexico,Peru |
| UX-H350 | |
| Area suffix | |
| UJ ----- | U.S.Military |

COMPACT
disc
DIGITAL AUDIO

TABLE OF CONTENTS

| | | |
|---|------------------------------------|------|
| 1 | PRECAUTION..... | 1-3 |
| 2 | SPECIFIC SERVICE INSTRUCTIONS..... | 1-6 |
| 3 | DISASSEMBLY..... | 1-7 |
| 4 | ADJUSTMENT..... | 1-18 |
| 5 | TROUBLESHOOTING..... | 1-20 |

SPECIFICATION

| | | | |
|-------------------|--|-------------------|---|
| Amplifier Section | Output Power | | 15 W per channel, min. RMS, driven into 4 Ω at 1 kHz with no more than 10% total harmonic distortion. (IEC268-3) |
| | Audio input sensitivity/Impedance (at 1 kHz) | | AUX:500 mV/50 k Ω |
| | Speakers/Impedance | | 4 Ω - 16 Ω |
| Tuner | FM tuning range | 100 kHz intervals | 87.5 MHz-108.0 MHz |
| | | 50 kHz intervals | 87.50 MHz-108.00 MHz |
| | AM tuning range | 10 kHz intervals | 530 kHz-1 710 kHz |
| | | 9 kHz intervals | 531 kHz-1 710 kHz |
| CD player | Dynamic range | | 85 dB |
| | Signal-to-noise ratio | | 85 dB |
| | Wow and flutter | | Immeasurable |
| Cassette deck | Frequency response | Normal (type I) | 100 Hz-10 000 Hz |
| | Wow and flutter | | 0.35% (WRMS) |
| General | Power requirement | | AC 110 V-127 V / AC 220 V- 240 V (adjustable with the voltage selector), 50 Hz / 60Hz |
| | Power consumption 2 W (on standby) | | 40 W (at operation) |
| | Dimensions (W/H/D) (approx.) | | 152 mm \times 233 mm \times 292 mm |
| | Mass (approx.) | | 3.9 kg |
| Speaker Section | Type | | Full range, bass-reflex type |
| | Speakers | | 10 cm cone \times 1 |
| | Power handling capacity | | 15 W |
| | Impedance | | 4 Ω |
| | Frequency range | | 100 Hz-15 kHz |
| | Dimensions (W/H/D) (approx.) | | 147 mm \times 233 mm \times 189 mm |
| | Mass (approx.) | | 1.9 kg each |

Design and specifications are subject to change without notice.

SECTION 1 PRECAUTION

1.1 Safety Precautions

- (1) This design of this product contains special hardware and many circuits and components specially for safety purposes. For continued protection, no changes should be made to the original design unless authorized in writing by the manufacturer. Replacement parts must be identical to those used in the original circuits. Services should be performed by qualified personnel only.
- (2) Alterations of the design or circuitry of the product should not be made. Any design alterations of the product should not be made. Any design alterations or additions will void the manufacturer's warranty and will further relieve the manufacturer of responsibility for personal injury or property damage resulting therefrom.
- (3) Many electrical and mechanical parts in the products have special safety-related characteristics. These characteristics are often not evident from visual inspection nor can the protection afforded by them necessarily be obtained by using replacement components rated for higher voltage, wattage, etc. Replacement parts which have these special safety characteristics are identified in the Parts List of Service Manual. Electrical components having such features are identified by shading on the schematics and by (Δ) on the Parts List in the Service Manual. The use of a substitute replacement which does not have the same safety characteristics as the recommended replacement parts shown in the Parts List of Service Manual may create shock, fire, or other hazards.
- (4) The leads in the products are routed and dressed with ties, clamps, tubings, barriers and the like to be separated from live parts, high temperature parts, moving parts and/or sharp edges for the prevention of electric shock and fire hazard. When service is required, the original lead routing and dress should be observed, and it should be confirmed that they have been returned to normal, after reassembling.


(5) Leakage shock hazard testing

After reassembling the product, always perform an isolation check on the exposed metal parts of the product (antenna terminals, knobs, metal cabinet, screw heads, headphone jack, control shafts, etc.) to be sure the product is safe to operate without danger of electrical shock. Do not use a line isolation transformer during this check.

- Plug the AC line cord directly into the AC outlet. Using a "Leakage Current Tester", measure the leakage current from each exposed metal part of the cabinet, particularly any exposed metal part having a return path to the chassis, to a known good earth ground. Any leakage current must not exceed 0.5mA AC (r.m.s.).
- Alternate check method
Plug the AC line cord directly into the AC outlet. Use an AC voltmeter having, 1,000 Ω per volt or more sensitivity in the following manner. Connect a 1,500 Ω 10W resistor paralleled by a 0.15 μ F AC-type capacitor between an exposed metal part and a known good earth ground. Measure the AC voltage across the resistor with the AC

voltmeter.

Move the resistor connection to each exposed metal part, particularly any exposed metal part having a return path to the chassis, and measure the AC voltage across the resistor. Now, reverse the plug in the AC outlet and repeat each measurement. Voltage measured any must not exceed 0.75 V AC (r.m.s.). This corresponds to 0.5 mA AC (r.m.s.).



1.2 Warning

- (1) This equipment has been designed and manufactured to meet international safety standards.
- (2) It is the legal responsibility of the repairer to ensure that these safety standards are maintained.
- (3) Repairs must be made in accordance with the relevant safety standards.
- (4) It is essential that safety critical components are replaced by approved parts.
- (5) If mains voltage selector is provided, check setting for local voltage.

1.3 Caution

Burrs formed during molding may be left over on some parts of the chassis.

Therefore, pay attention to such burrs in the case of pre-forming repair of this system.

1.4 Critical parts for safety

In regard with component parts appearing on the silk-screen printed side (parts side) of the PWB diagrams, the parts that are printed over with black such as the resistor (■), diode (■) and ICP (●) or identified by the " Δ " mark nearby are critical for safety. When replacing them, be sure to use the parts of the same type and rating as specified by the manufacturer. (This regulation does not Except the J and C version)

1.5 Preventing static electricity

Electrostatic discharge (ESD), which occurs when static electricity stored in the body, fabric, etc. is discharged, can destroy the laser diode in the traverse unit (optical pickup). Take care to prevent this when performing repairs.

1.5.1 Grounding to prevent damage by static electricity


Static electricity in the work area can destroy the optical pickup (laser diode) in devices such as laser products. Be careful to use proper grounding in the area where repairs are being performed.

(1) Ground the workbench

Ground the workbench by laying conductive material (such as a conductive sheet) or an iron plate over it before placing the traverse unit (optical pickup) on it.

(2) Ground yourself

Use an anti-static wrist strap to release any static electricity built up in your body.



(3) Handling the optical pickup

- In order to maintain quality during transport and before installation, both sides of the laser diode on the replacement optical pickup are shorted. After replacement, return the shorted parts to their original condition. (Refer to the text.)
- Do not use a tester to check the condition of the laser diode in the optical pickup. The tester's internal power source can easily destroy the laser diode.


1.6 Handling the traverse unit (optical pickup)

- (1) Do not subject the traverse unit (optical pickup) to strong shocks, as it is a sensitive, complex unit.
- (2) Cut off the shorted part of the flexible cable using nippers, etc. after replacing the optical pickup. For specific details, refer to the replacement procedure in the text. Remove the anti-static pin when replacing the traverse unit. Be careful not to take too long a time when attaching it to the connector.
- (3) Handle the flexible cable carefully as it may break when subjected to strong force.
- (4) It is not possible to adjust the semi-fixed resistor that adjusts the laser power. Do not turn it.

1.7 Attention when traverse unit is decomposed

***Please refer to "Disassembly method" in the text for the pickup unit.**

- Apply solder to the short land sections before the flexible wire is disconnected from the connector on the servo board. (If the flexible wire is disconnected without applying solder, the pickup may be destroyed by static electricity.)
- In the assembly, be sure to remove solder from the short land sections after connecting the flexible wire.



1.8 Important for laser products

1.CLASS 1 LASER PRODUCT

2.DANGER : Invisible laser radiation when open and interlock failed or defeated. Avoid direct exposure to beam.

3.CAUTION : There are no serviceable parts inside the Laser Unit. Do not disassemble the Laser Unit. Replace the complete Laser Unit if it malfunctions.

4.CAUTION : The CD,MD and DVD player uses invisible laser radiation and is equipped with safety switches which prevent emission of radiation when the drawer is open and the safety interlocks have failed or are defeated. It is dangerous to defeat the safety switches.

5.CAUTION : If safety switches malfunction, the laser is able to function.

6.CAUTION : Use of controls, adjustments or performance of procedures other than those specified here in may result in hazardous radiation exposure.



CAUTION Please use enough caution not to see the beam directly or touch it in case of an adjustment or operation check.

CAUTION : Visible and invisible laser radiation when open and interlock failed or defeated.

AVOID DIRECT EXPOSURE TO BEAM.

ADVARSEL : Synlig og usynlig laserstråling når maskinen er åben eller interlocken fejler. Undgå direkte eksponering til stråling.

VARNING : Synlig och osynlig laserstråling när den öppnas och spärren är urkopplad. Betrakta ej strålen.

VARO : Avattaessa ja suojalukitus ohitettuna tai viallisena olet alltiina näkyvälle ja näkymättömälle lasersäteilylle. Vältä säteen kohdistumista suoraan itseesi.

REPRODUCTION AND POSITION OF LABELS

WARNING LABEL

| | | | |
|---|--|---|---|
| CAUTION : Visible and invisible laser radiation when open and interlock failed or defeated. AVOID DIRECT EXPOSURE TO BEAM. (e) | ADVARSEL : Synlig og usynlig laserstråling når maskinen er åben eller interlocken fejler. Undgå direkte eksponering til stråling. (d) | VARNING : Synlig och osynlig laserstråling när den öppnas och spärren är urkopplad. Betrakta ej strålen. (s) | VARO : Avattaessa ja suojalukitus ohitettuna tai viallisena olet alltiina näkyvälle ja näkymättömälle lasersäteilylle. Vältä säteen kohdistumista suoraan itseesi. (f) |
|---|--|---|---|

CLASS 1
LASER PRODUCT

| | |
|---|---|
| CAUTION : Visible and invisible laser radiation when open and interlock failed or defeated. AVOID DIRECT EXPOSURE TO BEAM. (e) | VARO : Avattaessa ja suojalukitus ohitettuna tai viallisena olet alltiina näkyvälle ja näkymättömälle lasersäteilylle. Vältä säteen kohdistumista suoraan itseesi. (f) |
| VARNING : Synlig och osynlig laserstråling när den öppnas och spärren är urkopplad. Betrakta ej strålen. (s) | ADVARSEL : Synlig og usynlig laserstråling når maskinen er åben eller interlocken fejler. Undgå direkte eksponering til stråling. (d) |

SECTION 2 SPECIFIC SERVICE INSTRUCTIONS

This service manual does not describe SPECIFIC SERVICE INSTRUCTIONS.

SECTION 3 DISASSEMBLY

3.1 Main body

3.1.1 Removing the front panel assembly (See Fig.1 to 6)

- (1) From the back of the body, remove the two screws **A**, and the two screws **B** attaching the front panel assembly.
- (2) Remove the six screws **D** on both sides of the body.
- (3) Remove the screw **E** on the bottom of the body.
- (4) Move the front panel assembly in the direction of the arrow and remove. Disconnect connector [CN402](#), [CN801](#) on the main board and disconnect the wire from FM-ANT.

Caution:

When reassembling the front panel assembly, fit the right and left tabs **a** to the notch.




Fig.1




Fig.2




Fig.3




Fig.4




Fig.6




Fig.5

3.1.2 Removing the main board (See Fig.7, 8)

- Prior to performing the following procedure, remove the front panel assembly.
 - (1) Disconnect the wire from all connectors on the main board.
 - (2) Disconnect the wire from the two connectors on the cassette mechanism assembly.
 - (3) Release the three bands attaching the wire to the main board.
 - (4) Remove the two screws **F** from the front panel assembly. Release the joint **b**.




Fig.7




Fig.8

3.1.3 Removing the CD mechanism assembly (See Fig.9, 10)

- Prior to performing the following procedure, remove the front panel assembly and the main board.
 - (1) Release the four bands setting the wire.
 - (2) Disconnect the wire from the connector on the CD door switch and from [CN601](#), [CN603](#) and [CN604](#) on the CD mechanism board respectively.
 - (3) Remove the three screws **G** attaching the CD mechanism assembly.
 - (4) Release the joint **d** to remove the CD mechanism assembly from the front panel assembly.




Fig.9




Fig.10

3.1.4 Removing the CD mechanism assembly (See Fig.11 to 13)

- Prior to performing the following procedure, remove the front panel assembly, the main board and the CD mechanism assembly.

Caution:

Before disconnecting the card wire from connector [CN607](#) on the CD mechanism board and from CD pickup board, solder the short-circuit point on the CD pickup board. If you do not follow this instruction, the pickup may be damaged.

- (1) Remove the four screws **H** attaching the CD mechanism board.
- (2) Move the CD mechanism board temporarily and disconnect the wire from connector [CN606](#).
- (3) Solder the short-circuit point on the CD pickup board.
- (4) Disconnect the card wire from connector [CN607](#) on the CD mechanism board.

Caution:

Make sure to unsolder the short-circuit point after reconnecting the card wire to the CD pickup board and to connector [CN607](#) on the CD mechanism board.




Fig.11




Fig.12




Fig.13

3.1.5 Removing the CD mechanism (See Fig.14)

- Prior to performing the following procedure, remove the front panel assembly, the main board, the CD mechanism assembly and the CD mechanism board.
 - (1) Remove the four screws **J** attaching the CD mechanism.




Fig.14

3.1.6 Removing the headphone board/ AUX board (See Fig.15)

- Prior to performing the following procedure, remove the front panel assembly, the main board and the CD mechanism assembly.
 - (1) Remove the screw **K** attaching the bracket and detach the headphone board.
 - (2) Remove the screw **M** attaching the bracket and detach the AUX board.




Fig.15

3.1.7 Remove the LCD board (See Fig.16, 17)

- Prior to performing the following procedure, remove the front panel assembly, the main board and the CD mechanism assembly.
 - (1) From the front panel, pull out the volume knob and remove the nut and the washer.
 - (2) Remove the twelve screws **N** attaching the LCD board.




Fig.16




Fig.17

3.1.8 Removing the cassette mechanism assembly (See Fig.18, 19)

- Prior to performing the following procedure, remove the front panel assembly and the main board.
 - (1) Push 'PUSH OPEN' on the front panel to open the cassette door.
 - (2) Remove the screw **P** attaching the bracket of the cassette mechanism assembly.
 - (3) Remove the two screws **Q** and the two screws **R** attaching the cassette mechanism assembly.




Fig.18







Fig.19

3.1.9 Removing the heat sink/power board (See Fig.20 to 27)

- Prior to performing the following procedure, remove the front panel assembly.
- (1) From the bottom of the rear cover, peel off the tape attaching the wire extending from the power board and remove the earth plate which is attached with the double-sided tape.
- (2) Remove the four screws **T** attaching the holder in the power unit section.
- (3) Move the power unit section with the wire from the rear cover temporarily. If necessary, release the band and unsolder the wire on the power board.
- (4) Remove the four screws **U** and the screw **Y** attaching the holder.
- (5) Release the wire from the band at 'e' and move the holder in the direction of the arrow to release from the joint **f**.
- (6) Remove the four screws **A'** and two screws **B'** attaching the heat sink.
- (7) Remove the two screws **D'** attaching the power board.






Fig.23




Fig.25




Fig.24




Fig.26




Fig.27

3.1.10 Removing the power transformer assembly/voltage selector (See Fig.28, 29)

- Prior to performing the following procedure, remove the front panel assembly and the power unit section.
 - (1) Remove the four screws **E'** attaching the power transformer assembly. The bracket comes off at the bottom of the rear cover.
 - (2) Remove the screw **F'** attaching the power cord.
 - (3) From the back of the rear cover, remove the two screws **H'** attaching the voltage selector.

3.1.11 Removing the FM antenna board (See Fig.29)

- Prior to performing the following procedure, remove the front panel assembly and the power unit section.
 - (1) From the rear cover assembly, remove the screw **G'** attaching the FM antenna board.
 - (2) From the FM antenna board, unsolder the FM antenna wire.




Fig.28




Fig.29

SECTION 4 ADJUSTMENT

4.1 Measurement Instruments Required for Adjustment

(1) Low frequency oscillator

This oscillator should have a capacity to output 0dBs to 600Ω at an oscillation frequency of 50Hz-20kHz.

(2) Attenuator impedance : 600Ω

(3) Electronic voltmeter

(4) Distortion meter

(5) Frequency counter

(6) Wow & flutter meter

(7) Test tape

VT703L : Head azimuth

VT712 : Tape speed and running unevenness (3kHz)

VT724 : Reference level (1kHz)

(8) Blank tape

TYPE I : AC-225

TYPE II : AC-514

(9) Torque gauge : For play and back tension

FWD(TW2111A), REV(TW2121a) and FF/REW(TW2231A)

(10) Test disc: CTS-1000

4.2 Measurement conditons

Power supply voltage : AC230V ~ AC240V, 50Hz / 60Hz

Reference output : Speaker : 0 dB (2V)/4Ω
: Headphone : -10 dB(0.245V)/32Ω

Reference frequency and input level : 1kHz, AUX : -8dBs

Measurement output terminal : at Speaker

Load resistance : 4Ω

4.3 Radio Input signal

AM frequency : 1kHz

AM modulation : 30%

FM frequency : 1k

FM frequency deviation : 22.5kHz

4.4 Cassette amplifier section



| Item | Measuring condition | Check and adjustment procedure | Standard value | Adjusting part |
|---|---|---|---|---|
| Head azimuth adjustment | <ul style="list-style-type: none"> • Test tape:VT703L • Signal output terminal:PHONES (with 32 ohm load) | <ol style="list-style-type: none"> 1.Play back the test tape VT703L. 2.Adjust the head azimuth adjusting screw so that the phase difference between the L and R channels is minimized at an output level that is within +/- 2 dB of the maximum output level. After this adjustment, lock the head azimuth adjusting screw with screw sealant to cover more than a half of the screw head. 3.When the head azimuth is maladjusted, correct it with the head azimuth adjusting screw. | <ul style="list-style-type: none"> • Output level: Within +/-2 dB of maximum output level • Phase difference L and R channels:Minimum | Head azimuth adjusting screw (to be used only after head replacement) |
| Tape speed and wow / flutter check and adjustment | <ul style="list-style-type: none"> • Test tape:VT712 • Signal output terminal:PHONES (with 32 ohm load) | <ol style="list-style-type: none"> 1.Playback the test tape VT712 by the end position. 2.Connect a frequency counter and check that it reads between 2940 and 3090 Hz. If not, adjust the frequency with the motor semifixed resistor. 3.Check that the wow/flutter is within 0.38% (unweighted) | <ul style="list-style-type: none"> • 2940 to 3090 Hz within 0.38 % (unweighted) | Tape speed: Motor semifixed resistor |
| REC and PB frequency response adjustment | <ul style="list-style-type: none"> • Test tape:VT703L • Signal input FM 22.5 DEV 60dB with Emphasis • Signal output terminal:PHONES (with 32 ohm load) | At TUNER, set the BAND to the FM position, and record the reference 1 kHz signal and 10kHz signal alternately repeatedly. While playing back the recorded signal differ from that of the 1 kHz signal by within 0 (+3 to -6) dB. | <ul style="list-style-type: none"> • Level difference between REC and PB:Within 0 (+3 to -6) dB. | |

4.5 Tuner section


| Item | Measuring condition | Check and adjustment procedure | Standard value | Adjusting part |
|------------------------|---|--|----------------|-----------------------|
| AM IF adjustment | Signal input: Loop antenna Signal output: IC101 pin (16) | <ol style="list-style-type: none"> 1. Set the intermediate frequency sweep generator to AM 450 kHz. 2. Adjust the T103 for maximum and center output. | | T103 |
| AM tracking adjustment | Signal input: Loop antenna PHONES (with 32 ohm load) | <ol style="list-style-type: none"> 1. Set the TUNER at 530 kHz adjust T102 until the test pin of VD103 voltage at 1.5 V +/- 0.1 V. 2. Set the TUNER at 1710 kHz, check the pin of VD103 voltage at 9.0V +/- 0.5V. 3. Set the TUNER and S/G at 600kHz, adjust T101 for maximum output. 4. Set the TUNER and S/G at 1400 kHz, adjust VC101 for maximum output. 5. Repeat the above steps 3 and 4. | | T102 T101 VD103 |

4.6 Location of adjusting parts

Cassette mechanism section



Main board assembly



SECTION 5 TROUBLESHOOTING

| Circuit | Symptom | Cause and Remedy |
|---------|---|--|
| General | No sound | <ul style="list-style-type: none"> ▪ Defective earphone jack: Replace the earphone jack. ▪ Defect in IC801 Check voltages. Replace if necessary. ▪ Defect in IC301 Check voltages. Replace if necessary. |
| AM | No sound, weak sound (Low sensitivity) | <ul style="list-style-type: none"> ▪ Defect in IF T103: Check resistance, voltage, and current. Replace as needed. ▪ Defect AM antenna coil T101 or oscilloscope coil T102: Replace if necessary. ▪ Intermediate Frequency tuning faulty: Readjust (see "Alignment and Adjustment"). ▪ RF tracking faulty: Readjust (see "Alignment and Adjustment"). ▪ Defective IC101: Check voltages. Replace if necessary. ▪ Defective IC102: Check voltages. Replace if necessary. ▪ Poor contact in antenna circuit: Check resistance and resolder. |
| FM | No sound, weak sound (Low sensitivity) | <ul style="list-style-type: none"> ▪ Defective band selector switch: Replace or repair the switch. ▪ Defective IC101: Check voltages. Replace if necessary. ▪ Defective IC102: Check voltages. Replace if necessary. ▪ Intermediate Frequency tuning faulty: Readjust (see "Alignment and Adjustment"). ▪ Poor contact in FM antenna circuit: Resolder or repair as required. |
| Tape | No sound/recording, unsteady tape sound, weak sound | <ul style="list-style-type: none"> ▪ Dirty capstan or head: Clean the capstan or head with alcohol. ▪ Irregular cassette tape winding: Replace tape. ▪ Defective IC201: Check voltage. Replace if necessary. ▪ Cassette erasure prevention tabs broken out: Replace tape or cover tab openings with adhesive tape. |
| CD | Cannot read the table of content. no sound | <ul style="list-style-type: none"> ▪ Disc is dirty: Wipe clean with a soft cloth. ▪ Disc is seriously warped: Use a new disc. ▪ Moisture has formed inside the CD deck: Wait about 20 to 30 minutes. ▪ Defective IC601: Check voltages. Replace if necessary. ▪ Defective IC602: Check voltages. Replace if necessary. ▪ Defective IC603: Check voltages. Replace if necessary. ▪ Defective IC604: Check voltages. Replace if necessary. ▪ Defective IC606: Check voltages. Replace if necessary. ▪ Defective IC607: Check voltages. Replace if necessary. ▪ Defective IC608: Check voltages. Replace if necessary. ▪ Defective IC609: Check voltages. Replace if necessary. ▪ Defect in the CD pickup mechanism: Replace as required. |



JVC

Victor Company of Japan, Limited
AV & MULTIMEDIA COMPANY AUDIO/VIDEO SYSTEMS CATEGORY 10-1,1chome,Ohwatari-machi,Maebashi-city,371-8543,Japan

(No.MB297)

JVC

SCHEMATIC DIAGRAMS

MICRO COMPONENT SYSTEM


UX-H300,UX-H330,UX-H350

CD-ROM No.SML200407

| |
|-----------------------------|
| UX-H300 |
| Area suffix |
| US ----- Singapore |
| UT ----- Taiwan |
| UW ----- Brazil,Mexico,Peru |

| |
|-----------------------------|
| UX-H330 |
| Area suffix |
| UT ----- Taiwan |
| UW ----- Brazil,Mexico,Peru |

| |
|-----------------------|
| UX-H350 |
| Area suffix |
| UJ ----- U.S.Military |




Contents

| | |
|-----------------------------------|----------|
| Wiring diagram | 2-1 |
| Block diagram | 2-2 |
| Standard schematic diagrams | 2-3 |
| Printed circuit boards | 2-7 to 9 |


In regard with component parts appearing on the silk-screen printed side (parts side) of the PWB diagrams, the parts that are printed over with black such as the resistor (■), diode (⬤) and ICP (●) or identified by the "⚠" mark nearby are critical for safety.

Block diagram



Standard schematic diagrams

Primary section



WARNING


AFTER COMPLETING THE SERVICING OF THIS PRODUCT AND BEFORE RETURNING IT TO YOUR CUSTOMER MEASURE THE RESISTANCE BETWEEN BOTH PRONGS OF THE AC PLUG AND ALL EXPOSED METAL PARTS TO BE SURE IT EXCEEDS 2.2 MEGAOHMS (POWER SWITCH IF ANY SHOULD BE IN ITS ON POSITION). IF THE RESISTANCE MEASURED IS LESS THAN 2.2 MEGAOHMS, THE UNIT SHOULD NOT BE RETURNED TO THE CUSTOMER UNTIL THE CAUSE FOR THE REDUCED POWER LINE TO EXPOSED METAL PARTS RESISTANCE HAS BEEN CORRECTED AND THE UNIT PASSED THE ABOVE TEST.

THIS MARK INDICATES THAT THE ADJACENT COMPONENT IS CONSIDERED CRITICAL WITH RESPECT TO THE RISK OF FIRE AND ELECTRICAL SHOCK ASSOCIATED WITH THIS PRODUCT. WHEN REPLACING ANY OF THESE COMPONENTS, USE ONLY PARTS SUPPLIED BY MANUFACTURERS WHOSE PART NUMBERS ARE INDICATED ON THE PARTS LIST ATTACHED.

SERVICING INSTRUCTIONS

1. DISCONNECT POWER CORD BEFORE SERVICING.
2. REPLACE CRITICAL COMPONENTS ⚠ ONLY WITH FACTORY PARTS OR RECOMMENDED EQUIVALENTS.
3. FOR AC LINE POWERED UNITS – BEFORE RETURNING REPAIRED UNIT TO USER, USE AN OHMMETER TO MEASURE FROM BOTH AC PLUG BLADES TO ALL EXPOSED METALLIC PARTS. THE RESISTANCE SHOULD BE MORE THAN 100,000 OHMS.



Main section



| STATION | AM | FM |
|---------|----|----|
| BO | L | H |
| B1 | L | L |


| VT | VOLT. ADJ. | |
|----|------------|------|
| | LOW | HIGH |
| AM | 1.5V | 8.5V |
| FM | 2.4V | 8.5V |

- FM/AM SIGNAL LINE
- AUX SIGNAL LINE
- CD SIGNAL LINE
- CASS PLAY SIGNAL LINE
- CASS REC SIGNAL LINE
- LCH MAIN SIGNAL LINE
- RCH MAIN SIGNAL LINE
- LCH EAR PHONE SIGNAL
- RCH EAR PHONE SIGNAL




Parts are safety assurance parts. When replacing those parts make sure to use the specified one.

CD section




▲ Parts are safety assurance parts. When replacing those parts make sure to use the specified one.

■ Front section




Printed circuit boards

■ Main board (forward side)




■ Main board (reverse side)




Front board

forward side



reverse side



JVC

Victor Company of Japan, Limited

AV & MULTIMEDIA COMPANY AUDIO/VIDEO SYSTEMS CATEGORY 10-1,1chome,Ohwatari-machi,Maebashi-city,371-8543,Japan

(No.MB297SCH)



Printed in Japan
WPC

PARTS LIST

[UX-H300]

[UX-H330]

[UX-H350]

* All printed circuit boards and its assemblies are not available as service parts.

| UX-H300 | |
|----------------|----------------------|
| Area suffix | |
| US ----- | Singapore |
| UT ----- | Taiwan |
| UW ----- | Brazil, Mexico, Peru |

| UX-H330 | |
|----------------|----------------------|
| Area suffix | |
| UT ----- | Taiwan |
| UW ----- | Brazil, Mexico, Peru |


| UX-H350 | |
|----------------|---------------|
| Area suffix | |
| UJ ----- | U.S. Military |

- Contents -


| | |
|--|------|
| Exploded view of general assembly and parts list (Block No.M1) ----- | 3- 2 |
| Electrical parts list (Block No.01~04) ----- | 3- 6 |
| Packing materials and accessories parts list (Block No.M3) ----- | 3-14 |

Exploded view of general assembly and parts list

Block No. **M 1 M M**



Block No. M 1 M M



General Assembly

Block No. [M][1][M][M]

| △ | Symbol No. | Part No. | Part Name | Description | Local |
|---|------------|----------------|------------------|----------------------|-------|
| | 1 | OW66-00300-21 | CD DOOR | | |
| | 2 | OW39-04200-80 | METAL COVER | | |
| | 3 | OW97-09019-80 | P.C.MAGNET | | |
| | 4 | OW49-00300-12 | STABILIZER RING | | |
| | 5 | OW55-09019-80 | FELT | | |
| | 6 | OW55-00141-80 | ROD | NSX01-050 | |
| | 7 | OW36-00003-80 | EJECT SPRING | | |
| | 8 | OW16-10101-81 | CD DOOR SWITCH | DLS-02-1 | |
| | 9 | OW36-00300-10 | CD DOOR SPRING | | |
| | 10 | OW48-00300-16 | CD TRAY | | |
| | 11 | OW63-00303-81 | DAMPER GEAR | B30B | |
| | 12 | OW35-00003-80 | E RING | M3 | |
| | 13 | OW48-07930-80 | PU COVER | TCP-110P | |
| | 14 | OW98-00010-80 | CD PICK UP | TCP11TK2PX | |
| | 15 | OW81-02750-80 | CD DAMPER | (x2) | |
| | 16 | OW81-02750-81 | CD DAMPER | (x2) | |
| | 18 | OW53-00300-11 | FUNCTION KNOB | B | |
| | 20 | OW39-00300-26 | PHONE PCB BKT. | (x2) | |
| | 22 | OW94-34309-00 | CASSETTE MECHA | CRM4309 | |
| | 23 | OW39-00300-21 | MECHA BKT. | | |
| | 24 | OW39-00300-25 | SUPPORT BKT. | | |
| | 25 | OW55-00005-81 | LATCH HOLDER | | |
| | 26 | OW36-00005-80 | LATCH SPRING | | |
| | 27 | OW55-00005-80 | LID LATCH | | |
| | 28 | OW48-00300-20 | SPRING BKT. | | |
| | 29 | OW39-04200-81 | PANEL FIXING | (x7) | |
| | 30 | OW63-00303-80 | DAMPER GEAR | B40GG | |
| | 31 | OW60-00300-11 | FRONT CABINET | | |
| | 32 | OW81-00300-00 | RUBBER FOOT | (x4) | |
| | 33 | OW36-00300-11 | CASS DOOR SPRING | | |
| | 34 | OW48-00300-18 | CASS DOOR BKT. | | |
| | 35 | OW66-00300-20 | CASS DOOR | | |
| | 36 | OW43-00300-21 | CASS DOOR LENS | | H300 |
| | 36 | OW43-00300-27 | CASS DOOR LENS | | H330 |
| | 36 | OW43-00350-21 | CASS DOOR LENS | | H350 |
| | 37 | OW49-00300-11 | VOLUME RING | | |
| | 38 | OW53-00300-13 | VOLUME KNOB | | |
| | 39 | OW43-00300-24 | DISPLAY LENS | | |
| | 40 | OW53-00300-14 | SNOOZE KNOB | | |
| | 41 | OW48-00300-19 | SNOOZE KNOB BKT. | | |
| | 42 | OW53-00300-12 | POWER KNOB | | |
| | 46 | OW53-00300-10 | FUNCTION KNOB | A | |
| | 47 | OW91-80300-00 | LCD DISPLAY | G9419TT-P | |
| | 48 | OW43-00300-20 | LCD FILTER | | |
| | 49 | OW48-00300-13 | PCB BKT. | MAIN | |
| | 50 | OW43-00300-23 | LIGHT GUIDE | | |
| | 51 | OW68-00300-10 | LCD FILTER | | |
| | 52 | OW68-00300-12 | FELT | BLK. | |
| | 53 | OW48-00300-10 | LCD BKT. | | |
| | 55 | OW39-00300-24 | TRANSFORM BKT. | | |
| | 56 | OW48-00300-12 | MAIN PCB BKT. | A | |
| | 57 | OW48-00300-17 | CD TRAY BKT. | | |
| | 58 | OW48-00300-11 | PCB BKT. | POWER | |
| | 59 | OW39-00300-22 | HEAT SINK BKT. | A | |
| | 60 | OW39-00300-23 | HEAT SINK BKT. | B | |
| | 61 | OW39-00300-20 | HEAT SINK | | |
| △ | 62 | OW49-00300-10 | AC CORD HOLDER | | |
| | 63 | OW35-10019-80 | FIBRE WASHER | F14 X F3 X 1.5mm | |
| | 64 | OW61-00300-23 | REAR CABINET | | |
| | 65 | OW35-00030-80 | METAL WASHER | F12 X F4 X 1mm(x4) | |
| | 66 | OW35-30009-80 | SPRING WASHER | M4 F4 X F7 X 1mm(x4) | |
| △ | 67 | OW15-80300-05 | POWER TRANS. | T901 | |
| | 68 | OW40-82045-90 | SCREW | M2.0 X 4.5 | |
| | 69 | OW40-82005-90 | SCREW | M2.0 X 5(x3) | |
| | 70 | OW40-92610-43 | SCREW | M2.6 X 10(x4) | |
| | 71 | OW40-83006-81 | SCREW | M3 X 6(x11) | |
| | 72 | OW40-93008-11 | SCREW | M3.0 X 8(x12) | |
| | 73 | OW40-93010-01 | SCREW | M3.0 X 10(x13) | |
| | 74 | OW40-92610-01 | SCREW | M2.6 X 10(x2) | |
| | 75 | OW40-93010-03K | SCREW | M3 X 10 | |
| | 76 | OW40-93012-01 | SCREW | M3 X 12(x6) | |
| | 77 | OW40-83010-52 | SCREW | M3 X 10(x4) | |
| | 78 | OW40-83010-83 | SCREW | M3 X 10(x2) | |
| | 79 | OW40-83006-22 | SCREW | M3 X 6(x7) | |

| △ | Symbol No. | Part No. | Part Name | Description | Local |
|---|------------|----------------|---------------|-------------------|----------|
| | 80 | OW40-92608-11 | SCREW | M2.6 X 8(x12) | |
| | 81 | OW40-84012-01 | SCREW | M4 X 12(x4) | |
| | 82 | OW40-93014-01 | SCREW | M3.0 X 14(x2) | |
| | 83 | OW40-83005-01 | SCREW | M3 X 5 | |
| | 84 | OW40-92606-01 | SCREW | M2.6 X 6 | |
| | 85 | OW81-00300-02 | LCD SPONGE | BLK. | |
| | 86 | OW68-00300-13 | COPPER FOIL | | |
| | 87 | OW35-40007-80 | STEEL NUT | M3 | |
| | 88 | OW35-20001-80 | TOOTH WASHER | M3 | |
| | 89 | OW35-30005-80 | SOLDERING LUG | F3.5 L=9 | |
| △ | 90 | OW30-00300-03 | AC CORD | 2M W/O ONE SOLDER | UT |
| △ | 90 | OW30-00300-05 | AC CORD | SF-629 H03VVH2-F | US,UW,UJ |
| | 92 | OW40-83010-02 | SCREW | M3 X 10(x2) | |
| △ | 93 | OW33-57162-03W | FUSE | 250V 1.6A F901 | |
| △ | 94 | OW33-57632-03W | FUSE | 250V 6.3A F902 | |

| △ Symbol No. | Part No. | Part Name | Description | Local | △ Symbol No. | Part No. | Part Name | Description | Local |
|--------------|----------------|-------------|-------------|-------|--------------|----------------|--------------|---------------|-------|
| C214 | OW05-73820-05 | C CAPACITOR | 82pF | | C406 | OW06-75225-20 | E CAPACITOR | 2.2mF 50V | |
| C215 | OW05-73182-00 | C CAPACITOR | 1800pF | | C407 | OW05-73101-05 | C CAPACITOR | 100pF | |
| C216 | OW05-73182-00 | C CAPACITOR | 1800pF | | C408 | OW05-73101-05 | C CAPACITOR | 100pF | |
| C217 | OW06-75105-20 | E CAPACITOR | 1mF 50V | | C409 | OW06-71476-20 | E CAPACITOR | 47mF 16V | |
| C218 | OW06-75105-20 | E CAPACITOR | 1mF 50V | | C410 | OW06-71476-20 | E CAPACITOR | 47mF 16V | |
| C219 | OW05-73102-00 | C CAPACITOR | 1000pF | | C411 | OW06-70227-20 | E CAPACITOR | 220mF 10V | |
| C220 | OW05-73102-00 | C CAPACITOR | 1000pF | | C412 | OW06-70227-20 | E CAPACITOR | 220mF 10V | |
| C221 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | C413 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C222 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | C414 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C223 | OW05-73102-00 | C CAPACITOR | 1000pF | | C415 | OW06-71107-20 | E CAPACITOR | 100mF 16V | |
| C224 | OW05-73102-00 | C CAPACITOR | 1000pF | | C416 | OW05-73223-00 | C CAPACITOR | 0.022mF | |
| C225 | OW05-73151-05 | C CAPACITOR | 150pF | | C417 | OW06-70227-20 | E CAPACITOR | 220mF 10V | |
| C226 | OW05-73151-05 | C CAPACITOR | 150pF | | C418 | OW06-71107-20 | E CAPACITOR | 100mF 16V | |
| C227 | OW06-70227-20 | E CAPACITOR | 220mF 10V | | C419 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C228 | OW06-70227-20 | E CAPACITOR | 220mF 10V | | C420 | OW06-72228-21 | E CAPACITOR | 2200 mF 25V | |
| C229 | OW05-73272-00 | C CAPACITOR | 2700pF | | C421 | OW06-70227-20 | E CAPACITOR | 220mF 10V | |
| C230 | OW05-73272-00 | C CAPACITOR | 2700pF | | C422 | OW05-77223-82 | C CAPACITOR | Axial 0.022mF | |
| C231 | OW05-73102-00 | C CAPACITOR | 1000pF | | C423 | OW06-71476-20 | E CAPACITOR | 47mF 16V | |
| C232 | OW05-73102-00 | C CAPACITOR | 1000pF | | C424 | OW06-72226-20 | E CAPACITOR | 22mF 25V | |
| C233 | OW05-73563-06F | C CAPACITOR | 0.056mF | | C425 | OW05-73223-00 | C CAPACITOR | 0.022mF | |
| C234 | OW05-73563-06F | C CAPACITOR | 0.056mF | | C426 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C235 | OW05-73101-05 | C CAPACITOR | 100pF | | C427 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | |
| C236 | OW05-73101-05 | C CAPACITOR | 100pF | | C441 | OW06-75335-20 | E CAPACITOR | 3.3mF 50V | |
| C237 | OW05-73331-05 | C CAPACITOR | 330pF | | C442 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| C238 | OW05-73331-05 | C CAPACITOR | 330pF | | C443 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C239 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | C831 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C240 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | C832 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C241 | OW05-73473-00 | C CAPACITOR | 0.047mF | | VC101 | OW05-08200-83 | TR CAPACITOR | 20pF 3P | |
| C242 | OW05-73473-00 | C CAPACITOR | 0.047mF | | VC102 | OW05-08100-80 | TR CAPACITOR | 10pF 3P | |
| C243 | OW06-75224-20 | E CAPACITOR | 0.22mF 50V | | | | | | |
| C244 | OW06-75224-20 | E CAPACITOR | 0.22mF 50V | | R101 | OW07-74473-50T | C RESISTOR | 47K 1/8W | |
| C245 | OW06-72106-20 | E CAPACITOR | 10mF 25V | | R102 | OW07-75473-06 | C RESISTOR | 47K 1/16W | |
| C246 | OW06-71227-20 | E CAPACITOR | 220mF 16V | | R103 | OW07-75274-06 | C RESISTOR | 270K 1/16W | |
| C247 | OW06-71476-20 | E CAPACITOR | 47mF 16V | | R104 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| C248 | OW05-73223-00 | C CAPACITOR | 0.022mF | | R105 | OW07-74220-50T | C RESISTOR | 22 1/8W | |
| C249 | OW05-73271-05 | C CAPACITOR | 270pF | | R106 | OW07-74047-50T | C RESISTOR | 4.7 1/8W | |
| C250 | OW05-73271-05 | C CAPACITOR | 270pF | | R107 | OW07-75104-06 | C RESISTOR | 100K 1/16W | |
| C251 | OW05-73223-00 | C CAPACITOR | 0.022mF | | R108 | OW07-75274-06 | C RESISTOR | 270K 1/16W | |
| C252 | OW05-73223-00 | C CAPACITOR | 0.022mF | | R109 | OW07-75331-06 | C RESISTOR | 330 1/16W | |
| C253 | OW05-72103-10 | M CAPACITOR | 0.01mF | | R110 | OW07-75101-06 | C RESISTOR | 100 1/16W | |
| C254 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | | R111 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| C255 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | | R113 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C301 | OW05-73102-00 | C CAPACITOR | 1000pF | | R114 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | |
| C302 | OW05-73102-00 | C CAPACITOR | 1000pF | | R115 | OW07-75123-06 | C RESISTOR | 12K 1/16W | |
| C303 | OW05-73102-00 | C CAPACITOR | 1000pF | | R116 | OW07-75123-06 | C RESISTOR | 12K 1/16W | |
| C304 | OW05-73102-00 | C CAPACITOR | 1000pF | | R117 | OW07-75273-06 | C RESISTOR | 27K 1/16W | |
| C305 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R118 | OW07-75273-06 | C RESISTOR | 27K 1/16W | |
| C306 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R119 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| C307 | OW05-73152-00 | C CAPACITOR | 1500pF | | R120 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| C308 | OW05-73152-00 | C CAPACITOR | 1500pF | | R122 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C309 | OW05-73223-00 | C CAPACITOR | 0.022mF | | R124 | OW07-75473-06 | C RESISTOR | 47K 1/16W | |
| C310 | OW06-71227-20 | E CAPACITOR | 220mF 16V | | R125 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C311 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R126 | OW07-75473-06 | C RESISTOR | 47K 1/16W | |
| C312 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R127 | OW07-75223-06 | C RESISTOR | 22K 1/16W | |
| C313 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R128 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| C314 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R129 | OW07-75154-06 | C RESISTOR | 150K 1/16W | |
| C315 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R130 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | |
| C316 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R131 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C317 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R132 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C318 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R133 | OW07-74221-50T | C RESISTOR | 220 1/8W | |
| C319 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R134 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C320 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R135 | OW07-74102-50T | C RESISTOR | 1K 1/8W | |
| C321 | OW05-73104-00 | C CAPACITOR | 0.1mF | | R136 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C322 | OW05-73104-00 | C CAPACITOR | 0.1mF | | R137 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| C323 | OW06-75105-20 | E CAPACITOR | 1mF 50V | | R138 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |
| C324 | OW06-75105-20 | E CAPACITOR | 1mF 50V | | R139 | OW07-74221-50T | C RESISTOR | 220 1/8W | |
| C325 | OW06-75334-20 | E CAPACITOR | 0.33mF 50V | | R140 | OW07-75152-06 | C RESISTOR | 1.5K 1/16W | |
| C326 | OW06-75334-20 | E CAPACITOR | 0.33mF 50V | | R141 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |
| C327 | OW05-73103-00 | C CAPACITOR | 0.01mF | | R142 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| C328 | OW05-73103-00 | C CAPACITOR | 0.01mF | | R143 | OW07-75000-06F | C RESISTOR | 0 1/16W | |
| C329 | OW06-75475-20 | E CAPACITOR | 4.7mF 50V | | R144 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| C330 | OW05-73104-00 | C CAPACITOR | 0.1mF | | R145 | OW07-75561-06 | C RESISTOR | 560 1/16W | |
| C337 | OW05-77101-05 | C CAPACITOR | Axial 100pF | | R146 | OW07-75152-06 | C RESISTOR | 1.5K 1/16W | |
| C339 | OW05-77221-05 | C CAPACITOR | Axial 220pF | | R147 | OW07-75000-06F | C RESISTOR | 0 1/16W | |
| C401 | OW06-75225-20 | E CAPACITOR | 2.2mF 50V | | R148 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C402 | OW06-75225-20 | E CAPACITOR | 2.2mF 50V | | R149 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C403 | OW06-71336-20 | E CAPACITOR | 33mF 16V | | R150 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| C405 | OW06-75225-20 | E CAPACITOR | 2.2mF 50V | | R151 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |

| △ Symbol No. | Part No. | Part Name | Description | Local | △ Symbol No. | Part No. | Part Name | Description | Local |
|--------------|----------------|------------|-------------|-------|--------------|----------------|------------|-------------|-------|
| R152 | OW07-75102-06 | C RESISTOR | 1K 1/16W | | R306 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| R153 | OW07-75102-06 | C RESISTOR | 1K 1/16W | | R307 | OW07-75273-06 | C RESISTOR | 27K 1/16W | |
| R154 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R308 | OW07-75273-06 | C RESISTOR | 27K 1/16W | |
| R155 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R309 | OW07-75822-06 | C RESISTOR | 8.2K 1/16W | |
| R156 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R310 | OW07-75822-06 | C RESISTOR | 8.2K 1/16W | |
| R158 | OW07-74102-50T | C RESISTOR | 1K 1/8W | | R311 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| R159 | OW07-75102-06 | C RESISTOR | 1K 1/16W | | R312 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| R160 | OW07-75184-06 | C RESISTOR | 180K 1/16W | | R315 | OW07-74331-50T | C RESISTOR | 330 1/8W | |
| R161 | OW07-75562-06 | C RESISTOR | 5.6K 1/16W | | R317 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| R162 | OW07-75562-06 | C RESISTOR | 5.6K 1/16W | | R318 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| R201 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | R327 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| R202 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | R328 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| R203 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | R330 | OW07-74100-50T | C RESISTOR | 10 1/8W | |
| R204 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | R331 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R205 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R333 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| R206 | OW07-75102-06 | C RESISTOR | 1K 1/16W | | R334 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| R207 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R401 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R208 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | R402 | OW07-75562-06 | C RESISTOR | 5.6K 1/16W | |
| R209 | OW07-74273-50T | C RESISTOR | 27K 1/8W | | R403 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R210 | OW07-74047-50T | C RESISTOR | 4.7 1/8W | | R404 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R211 | OW07-74220-50T | C RESISTOR | 22 1/8W | | R405 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R212 | OW07-75104-06 | C RESISTOR | 100K 1/16W | | R406 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R213 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R407 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |
| R214 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R408 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |
| R215 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R409 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |
| R216 | OW07-75104-06 | C RESISTOR | 100K 1/16W | | R410 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |
| R217 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | R411 | OW07-75152-06 | C RESISTOR | 1.5K 1/16W | |
| R218 | OW07-75223-06 | C RESISTOR | 22K 1/16W | | R412 | OW07-75152-06 | C RESISTOR | 1.5K 1/16W | |
| R219 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R413 | OW07-75047-06 | C RESISTOR | 4.7 1/16W | |
| R220 | OW07-74101-00T | C RESISTOR | 100 1/4W | | R414 | OW07-75047-06 | C RESISTOR | 4.7 1/16W | |
| R221 | OW07-75333-06 | C RESISTOR | 33K 1/16W | | R415 | OW07-75150-06 | C RESISTOR | 15 1/16W | |
| R222 | OW07-74221-00T | C RESISTOR | 220 1/4W | | R416 | OW07-75150-06 | C RESISTOR | 15 1/16W | |
| R223 | OW07-74102-50T | C RESISTOR | 1K 1/8W | | R417 | OW07-75471-06 | C RESISTOR | 470 1/16W | |
| R224 | OW07-75102-06 | C RESISTOR | 1K 1/16W | | R418 | OW07-75471-06 | C RESISTOR | 470 1/16W | |
| R225 | OW07-75124-06 | C RESISTOR | 120K 1/16W | | R419 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| R226 | OW07-75124-06 | C RESISTOR | 120K 1/16W | | R420 | OW07-74470-50T | C RESISTOR | 47 1/8W | |
| R227 | OW07-75010-06 | C RESISTOR | 1 1/16W | | R421 | OW07-75122-06 | C RESISTOR | 1.2K 1/16W | |
| R228 | OW07-74331-50T | C RESISTOR | 330 1/8W | | R422 | OW07-74220-50T | C RESISTOR | 22 1/8W | |
| R229 | OW07-75183-06 | C RESISTOR | 18K 1/16W | | R423 | OW07-74102-50T | C RESISTOR | 1K 1/8W | |
| R230 | OW07-75183-06 | C RESISTOR | 18K 1/16W | | R424 | OW07-75223-06 | C RESISTOR | 22K 1/16W | |
| R231 | OW07-75104-06 | C RESISTOR | 100K 1/16W | | R425 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R232 | OW07-75104-06 | C RESISTOR | 100K 1/16W | | R426 | OW07-74022-10 | C RESISTOR | 2.2 1/2W | |
| R233 | OW07-75333-06 | C RESISTOR | 33K 1/16W | | R427 | OW07-75104-06 | C RESISTOR | 100K 1/16W | |
| R234 | OW07-75333-06 | C RESISTOR | 33K 1/16W | | R428 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R235 | OW07-74222-50T | C RESISTOR | 2.2K 1/8W | | R429 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R236 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | | R430 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R237 | OW07-74102-50T | C RESISTOR | 1K 1/8W | | R431 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R238 | OW07-74102-50T | C RESISTOR | 1K 1/8W | | R432 | OW07-75104-06 | C RESISTOR | 100K 1/16W | |
| R239 | OW07-75180-06 | C RESISTOR | 18 1/16W | | R433 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R240 | OW07-75180-06 | C RESISTOR | 18 1/16W | | △ R434 | OW07-74100-00T | C RESISTOR | 10 1/4W | |
| R241 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | R435 | OW07-74561-50T | C RESISTOR | 560 1/8W | |
| R242 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | R436 | OW07-75000-06F | C RESISTOR | 0 1/16W | |
| R243 | OW07-75333-06 | C RESISTOR | 33K 1/16W | | R441 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| R244 | OW07-75333-06 | C RESISTOR | 33K 1/16W | | R442 | OW07-75104-06 | C RESISTOR | 100K 1/16W | |
| R245 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | R443 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R246 | OW07-74472-50T | C RESISTOR | 4.7K 1/8W | | R444 | OW07-75104-06 | C RESISTOR | 100K 1/16W | |
| R247 | OW07-75153-06 | C RESISTOR | 15K 1/16W | | R445 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R248 | OW07-74153-50T | C RESISTOR | 15K 1/8W | | R446 | OW07-75273-06 | C RESISTOR | 27K 1/16W | |
| R249 | OW07-75153-06 | C RESISTOR | 15K 1/16W | | R448 | OW07-74563-50T | C RESISTOR | 56K 1/8W | |
| R250 | OW07-75153-06 | C RESISTOR | 15K 1/16W | | R449 | OW07-75751-06 | C RESISTOR | 750 1/16W | |
| R251 | OW07-75333-06 | C RESISTOR | 33K 1/16W | | R450 | OW07-75272-06 | C RESISTOR | 2.7K 1/16W | |
| R252 | OW07-75684-06 | C RESISTOR | 680K 1/16W | | R451 | OW07-75562-06 | C RESISTOR | 5.6K 1/16W | |
| R253 | OW07-75823-06 | C RESISTOR | 82K 1/16W | | R452 | OW07-75681-06 | C RESISTOR | 680 1/16W | |
| R254 | OW07-75823-06 | C RESISTOR | 82K 1/16W | | R453 | OW07-75681-06 | C RESISTOR | 680 1/16W | |
| R255 | OW07-75750-06 | C RESISTOR | 75 1/16W | | R802 | OW07-75000-06F | C RESISTOR | 0 1/16W | |
| R256 | OW07-75750-06 | C RESISTOR | 75 1/16W | | R803 | OW07-75000-06F | C RESISTOR | 0 1/16W | |
| R257 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R806 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R258 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | R831 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R259 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | R832 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R260 | OW07-75124-06 | C RESISTOR | 120K 1/16W | | R449A | OW07-75751-06 | C RESISTOR | 750 1/16W | |
| R261 | OW07-75124-06 | C RESISTOR | 120K 1/16W | | L101 | OW09-25055-80 | FM COIL | 2.5T | |
| R263 | OW07-75153-06 | C RESISTOR | 15K 1/16W | | L102 | OW09-35055-80 | FM COIL | 3.5T | |
| R264 | OW07-75153-06 | C RESISTOR | 15K 1/16W | | L103 | OW09-70101-82T | COIL | 10mH | |
| R301 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | L104 | OW09-70101-82T | COIL | 10mH | |
| R302 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | L201 | OW09-40474-80 | CHOKE COIL | 47mH | |
| R303 | OW07-75562-06 | C RESISTOR | 5.6K 1/16W | | L202 | OW09-40474-80 | CHOKE COIL | 47mH | |
| R304 | OW07-75562-06 | C RESISTOR | 5.6K 1/16W | | L203 | OW08-00053-80 | OSC COIL | | |
| R305 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | | | | | | |

| △ Symbol No. | Part No. | Part Name | Description | Local |
|--------------|----------------|--------------|----------------------|-------|
| L301 | OW08-04344-81 | FERRITE COIL | 4T | |
| L302 | OW08-04344-81 | FERRITE COIL | 4T | |
| L303 | OW08-04344-81 | FERRITE COIL | 4T | |
| L304 | OW09-70222-83T | COIL | 220mH | |
| L401 | OW08-04344-81 | FERRITE COIL | 4T | |
| L402 | OW08-04344-81 | FERRITE COIL | 4T | |
| L403 | OW08-04344-81 | FERRITE COIL | 4T | |
| L404 | OW08-04344-81 | FERRITE COIL | 4T | |
| L801 | OW09-40080-80 | CHOKE COIL | 8mH | |
| L802 | OW09-40080-80 | CHOKE COIL | 8mH | |
| L803 | OW09-40080-80 | CHOKE COIL | 8mH | |
| L804 | OW09-40080-80 | CHOKE COIL | 8mH | |
| T101 | OW08-86436-80 | AM ANT COIL | | |
| T102 | OW08-01014-82 | IFT COIL | Red 1A1014N | |
| T103 | OW08-00332-84 | IFT COIL | Yellow 810017 | |
| ANT1 | OW29-00300-00 | FM ANT | Pig Tail | |
| ANT2 | OW29-00300-01 | FM ANT | Wire | |
| CF101 | OW09-50450-80 | CER.FILTER | SFU450B 450 kHz | |
| CF102 | OW09-50107-80 | CER.FILTER | LT10.7MS3 | |
| CF103 | OW09-50107-87 | CER.FILTER | JT10.7MG82 | |
| CN101 | OW20-12020-81 | CONNECTOR | 2P | |
| CN103 | OW20-11080-80 | CONNECTOR | 8P | |
| CN202 | OW20-41092-57 | CONNECTOR | 9P | |
| CN203 | OW20-11070-80 | CONNECTOR | 7P | |
| CN301 | OW20-12030-80 | CONNECTOR | 3P | |
| CN303 | OW20-11080-81 | CONNECTOR | 8P | |
| CN401 | OW20-11040-81 | CONNECTOR | 4P | |
| CN402 | OW20-12100-80 | CONNECTOR | 10P | |
| CN602 | OW20-11030-80 | CONNECTOR | 3P | |
| CN603 | OW20-11040-80 | CONNECTOR | 4P | |
| CN801 | OW12-00006-80 | CONNECTOR | SPK.Terminal | |
| CAN801 | OW20-12040-80 | CONNECTOR | 4P | |
| FMANT | OW25-04300-80 | CONNECTOR | 1P | |
| J130 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J131 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J132 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J133 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J134 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J135 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J136 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J137 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J138 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J139 | OW07-75000-06F | C RESISTOR | 0 1/16W | |
| J222 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| JK301 | OW12-21315-01 | AUX JACK | CKX3.5-02-5P | |
| JK401 | OW12-21315-00 | PHONE JACK | CKS3.5-02J5P2K | |
| TIEIE1 | OW31-50040-80 | UL WIRE | 40mm BLK | |
| TIEIE2 | OW31-50040-80 | UL WIRE | 40mm BLK | |
| TIEIE3 | OW31-50040-80 | UL WIRE | 40mm BLK | |
| TIEIE4 | OW31-50040-80 | UL WIRE | 40mm BLK | |
| TIEIE6 | OW31-50040-80 | UL WIRE | 40mm BLK | |
| VD101 | SVC201 | TUNING DIODE | OW02-00201-81 | |
| VD102 | SVC201 | TUNING DIODE | OW02-00201-81 | |
| VD103 | SVC348T | TUNING DIODE | OW02-00348-81 | |
| X101 | OW04-07200-80 | CRYSTAL | 7.2MHz | |
| XXXXX | OW20-61031-21 | CONNECTOR | 3P AUX PCB CON301 | |
| XXXXX | OW20-61063-81 | CONNECTOR | 6P CN201 to CassHead | |
| XXXXX | OW81-10001-80 | SPONGE | FOR L101 L102(x2) | |
| XXXXX | OW25-23050-82 | CONNECTOR | 2P LED PCB CON706 | |
| XXXXX | OW11-80300-00 | MAIN PCB | | |
| XXXXX | OW20-42041-82 | CONNECTOR | 4P Phone PCB CON401 | |
| XXXXX | OW08-04344-14 | FERRITE CORE | T16 X 12 X 8(x3) | |
| XXXXX | OW08-04344-50 | FERRITE CORE | T25 X 15 X 10 | |
| XXXXX | OW08-04344-20 | FERRITE CORE | T12.7 X 7.9 X 6.35 | |
| XXXXX | OW39-09025-84 | HEAT SINK | | |
| XXXXX | OW84-00003-80 | CABLE TIE | 4 UL(x4) | |
| XXXXX | OW84-00004-82 | ROUND WIRE | 60mm | |
| △ Z101 | 10V0.5W | Z DIODE | OW02-50100-80 | |
| △ Z401 | 8.2V0.5W | Z DIODE | OW02-50082-80 | |
| △ Z402 | 9.1V0.5W | Z DIODE | OW02-50091-81 | |
| △ Z441 | 6.2V0.5W | Z DIODE | OW02-50062-80 | |

Power board

Block No. [0][2]

| △ Symbol No. | Part No. | Part Name | Description | Local |
|--------------|----------------|----------------|-------------------|-------|
| △ IC801 | LA4628 | IC | OW03-04628-00 | |
| △ IC901 | RS602 | IC | OW02-00602-80 | |
| Q801 | 8050 | TRANSISTOR | OW01-08050-81 | |
| Q802 | 8050 | TRANSISTOR | OW01-08050-81 | |
| D801 | 1N4148 | DIODE | OW02-04148-81 | |
| D803 | 1N4148 | DIODE | OW02-04148-81 | |
| △ D901 | 1N4001 | DIODE | OW02-04001-81 | |
| △ D902 | 1N4001 | DIODE | OW02-04001-81 | |
| △ D903 | 1N4001 | DIODE | OW02-04001-81 | |
| △ D904 | 1N4001 | DIODE | OW02-04001-81 | |
| C801 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| C802 | OW06-75225-20 | E CAPACITOR | 2.2mF 50V | |
| C803 | OW06-75225-20 | E CAPACITOR | 2.2mF 50V | |
| C805 | OW06-71107-20 | E CAPACITOR | 100mF 16V | |
| C806 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| C807 | OW05-70101-05 | C CAPACITOR | 100pF | |
| C808 | OW06-75474-20 | E CAPACITOR | 0.47mF 50V | |
| C809 | OW05-72104-10 | M CAPACITOR | 0.1mF | |
| C810 | OW05-72104-10 | M CAPACITOR | 0.1mF | |
| C811 | OW05-72104-10 | M CAPACITOR | 0.1mF | |
| C812 | OW05-72104-10 | M CAPACITOR | 0.1mF | |
| △ C813 | OW06-72478-81 | E CAPACITOR | 4700mF 25V | |
| C821 | OW05-70101-05 | C CAPACITOR | 100pF | |
| C822 | OW05-70101-05 | C CAPACITOR | 100pF | |
| △ C901 | OW06-71338-81 | E CAPACITOR | 3300mF 16V | |
| C902 | OW05-70223-10 | C CAPACITOR | 0.022mF | |
| C903 | OW05-70223-10 | C CAPACITOR | 0.022mF | |
| C904 | OW05-70223-10 | C CAPACITOR | 0.022mF | |
| C905 | OW05-70223-10 | C CAPACITOR | 0.022mF | |
| C906 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | |
| △ C907 | OW06-72108-81 | E CAPACITOR | 1000mF 25V | |
| C908 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | |
| C909 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | |
| C910 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | |
| C911 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | |
| △ C912 | OW05-77104-82 | C CAPACITOR | Axial 0.1mF | |
| R801 | OW07-74153-50T | C RESISTOR | 15K 1/8W | |
| R802 | OW07-74223-50T | C RESISTOR | 22K 1/8W | |
| R803 | OW07-74102-50T | C RESISTOR | 1K 1/8W | |
| R804 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| R805 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| R806 | OW07-74102-50T | C RESISTOR | 1K 1/8W | |
| R809 | OW07-74222-50T | C RESISTOR | 2.2K 1/8W | |
| R810 | OW07-74562-50T | C RESISTOR | 5.6K 1/8W | |
| R812 | OW07-74022-00T | C RESISTOR | 2.2 1/4W | |
| R813 | OW07-74022-00T | C RESISTOR | 2.2 1/4W | |
| R814 | OW07-74022-00T | C RESISTOR | 2.2 1/4W | |
| R815 | OW07-74022-00T | C RESISTOR | 2.2 1/4W | |
| R821 | OW07-74272-50T | C RESISTOR | 2.7K 1/8W | |
| R822 | OW07-74272-50T | C RESISTOR | 2.7K 1/8W | |
| CN801 | OW20-61010-80 | CONNECTOR | 10P | |
| CN802 | OW20-42041-81 | CONNECTOR | 4P | |
| △ SW901 | OW16-10212-80 | VOLTAGE SWITCH | SL14-22AM5A | |
| XXXXX | OW39-10001-81 | FUSE HOLDER | FOR F901 F902(x2) | |
| XXXXX | OW39-00882-80 | HEAT SINK | FOR IC901 | |
| XXXXX | OW11-80300-01 | POWER PCB | | |
| XXXXX | OW31-20047-81 | UL WIRE | 5/47/5 Brown | |
| XXXXX | OW08-04344-53 | FERRITE CORE | T25 X 15 X 10 | |
| XXXXX | OW31-60170-80 | UL WIRE | 4/170/3.5 BLK | |
| XXXXX | OW37-00020-80 | EYELET | D= 2 X 4mm | |
| XXXXX | OW78-00004-85 | SILDERLESS | Connector CE-2 | |
| XXXXX | OW84-00003-80 | CABLE TIE | 4 UL | |
| XXXXX | OW84-00005-80 | CABLE TIE | 6.5 UL | |

Display board

Block No. [0][3]

| Symbol No. | Part No. | Part Name | Description | Local |
|------------|-----------------|-------------|---------------|-------|
| IC701 | TMP87EP26F-4K76 | IC | | |
| Q702 | 9013 | TRANSISTOR | OW01-09013-85 | |
| Q703 | 9013 | TRANSISTOR | OW01-09013-85 | |
| Q704 | 9013 | TRANSISTOR | OW01-09013-85 | |
| Q705 | 9013 | TRANSISTOR | OW01-09013-85 | |
| D701 | 1N4148 | DIODE | OW02-04148-81 | |
| D702 | 1N4148 | DIODE | OW02-04148-81 | |
| D703 | 1N4148 | DIODE | OW02-04148-81 | |
| D704 | ELT-3142D | LED | OW02-30022-82 | |
| C701 | OW05-73102-00 | C CAPACITOR | 1000pF | |
| C702 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C703 | OW06-76108-01 | E CAPACITOR | 1000mF 6.3V | |
| C704 | OW06-76108-01 | E CAPACITOR | 1000mF 6.3V | |
| C705 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C706 | OW06-70106-81 | E CAPACITOR | 10mF 10V | |
| C707 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C708 | OW06-70227-81 | E CAPACITOR | 220mF 10V | |
| C709 | OW05-73102-00 | C CAPACITOR | 1000pF | |
| C713 | OW05-73240-05 | C CAPACITOR | 24pF | |
| C714 | OW05-73560-05 | C CAPACITOR | 56pF | |
| C715 | OW05-73240-05 | C CAPACITOR | 24pF | |
| C716 | OW05-73200-05 | C CAPACITOR | 20pF | |
| C717 | OW05-73200-05 | C CAPACITOR | 20pF | |
| C718 | OW06-70476-81 | E CAPACITOR | 47mF 10V | |
| C721 | OW06-70107-81 | E CAPACITOR | 100mF 10V | |
| C722 | OW06-70476-81 | E CAPACITOR | 47mF 10V | |
| C723 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C724 | OW05-73223-00 | C CAPACITOR | 0.022mF | |
| C725 | OW05-73223-00 | C CAPACITOR | 0.022mF | |
| R702 | OW07-75000-06F | C RESISTOR | 0 1/16W | |
| R703 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R704 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R706 | OW07-75153-06 | C RESISTOR | 15K 1/16W | |
| R707 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R708 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R709 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R710 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | |
| R711 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | |
| R712 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R713 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R714 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R715 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| R716 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R717 | OW07-75000-06F | C RESISTOR | 0 1/16W | |
| R718 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R719 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R720 | OW07-75100-06 | C RESISTOR | 10 1/16W | |
| R721 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R722 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R723 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R724 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R725 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R726 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R727 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R728 | OW07-74472-50T | C RESISTOR | 4.7K 1/8W | |
| R729 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R730 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R731 | OW07-75122-06 | C RESISTOR | 1.2K 1/16W | |
| R732 | OW07-75122-06 | C RESISTOR | 1.2K 1/16W | |
| R733 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R734 | OW07-74470-50T | C RESISTOR | 47 1/8W | |
| R735 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R736 | OW07-74102-50T | C RESISTOR | 1K 1/8W | |
| R737 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R738 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R739 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R740 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R741 | OW07-75272-06 | C RESISTOR | 2.7K 1/16W | |
| R742 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R743 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |

| Symbol No. | Part No. | Part Name | Description | Local |
|------------|----------------|----------------|---------------------|-------|
| R744 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R745 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R746 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R747 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R748 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R749 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R750 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R751 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R752 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| R753 | OW07-75471-06 | C RESISTOR | 470 1/16W | |
| R754 | OW07-75912-06 | C RESISTOR | 9.1K 1/16W | |
| R755 | OW07-75272-06 | C RESISTOR | 2.7K 1/16W | |
| R756 | OW07-75392-06 | C RESISTOR | 3.9K 1/16W | |
| R757 | OW07-75563-06 | C RESISTOR | 56K 1/16W | |
| R758 | OW07-75750-06 | C RESISTOR | 75 1/16W | |
| R759 | OW07-75471-06 | C RESISTOR | 470 1/16W | |
| R760 | OW07-75152-06 | C RESISTOR | 1.5K 1/16W | |
| R761 | OW07-75362-06 | C RESISTOR | 3.6K 1/16W | |
| R762 | OW07-75182-06 | C RESISTOR | 1.8K 1/16W | |
| R763 | OW07-75563-06 | C RESISTOR | 56K 1/16W | |
| R764 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| R765 | OW07-75682-06 | C RESISTOR | 6.8K 1/16W | |
| R766 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |
| R780 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R781 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R782 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R783 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R784 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R785 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R786 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R787 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| R788 | OW07-74103-50T | C RESISTOR | 10K 1/8W | |
| L701 | OW09-70102-80 | COIL | 100mH | |
| L702 | OW09-70102-80 | COIL | 100mH | |
| L706 | OW09-70102-82T | COIL | 100mH | |
| CN701 | OW20-41082-81 | CONNECTOR | 8P | |
| CN702 | OW20-41082-48 | CONNECTOR | 8P | |
| CN703 | OW20-41092-56 | CONNECTOR | 9P | |
| CN704 | OW20-41072-80 | CONNECTOR | 7P | |
| CN706 | OW20-41102-38 | CONNECTOR | 10P | |
| CN707 | OW20-42021-80 | CONNECTOR | 2P | |
| CN708 | OW20-41021-80 | CONNECTOR | 2P | |
| J721 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J726 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J730 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J731 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J732 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J733 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J734 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J735 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J736 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J739 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J740 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J741 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J742 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J743 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J744 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| J745 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| RV701 | OW18-92040-86 | ENCODER VOL. | EC162102 FIB-HA1-24 | |
| SEN701 | OW02-66038-80 | SENSOR | FM-6038TM2-5A | |
| SW701 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW702 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW703 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW704 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW705 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW706 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW707 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW708 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW709 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| SW710 | OW16-10101-80 | TACT SWITCH | Evjjae 05R | |
| X701 | OW09-50720-80 | CER. RESONATOR | ZTA7.2MT | |
| X702 | OW04-32768-80 | CRYSTAL | 32.768 MHz | |
| XXXXX | OW11-80300-03 | DISPLAY PCB | | |
| XXXXX | OW08-04344-21 | FERRITE CORE | T16 X 9 X 28 | |
| XXXXX | OW08-04344-23 | FERRITE CORE | T18 X 10 X 12 | |

| △ Symbol No. | Part No. | Part Name | Description | Local | △ Symbol No. | Part No. | Part Name | Description | Local |
|--------------|---------------|-----------|---------------|-------|--------------|---------------|-------------|-------------|-------|
| XXXXX | OW84-00003-80 | CABLE TIE | 4 UL | | C638 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| XXXXX | OW84-00005-80 | CABLE TIE | 6.5 UL | | C639 | OW05-73222-00 | C CAPACITOR | 2200pF | |
| Z702 | 8.2V0.5W | Z DIODE | OW02-50082-80 | | C640 | OW05-73222-00 | C CAPACITOR | 2200pF | |

CD board

Block No. [0][4]


| △ Symbol No. | Part No. | Part Name | Description | Local | △ Symbol No. | Part No. | Part Name | Description | Local |
|--------------|----------------|-------------|---------------|-------|--------------|----------------|-------------|-------------|-------|
| IC601 | ES3890F | IC | OW03-03890-00 | | C641 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| IC602 | MX29F040PC-90 | IC | OW03-29040-90 | | C642 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| IC603 | TC9462F | IC | OW03-09462-00 | | C643 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| IC604 | PT8211 | IC | OW03-08211-01 | | C644 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| IC606 | HY5118164B | IC | OW03-51181-64 | | C645 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| IC607 | TA2092N | IC | OW03-02092-00 | | C646 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| IC608 | HCF4052BE | IC | OW03-04052-02 | | C647 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| IC609 | TA2153 | IC | OW03-02153-00 | | C648 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| Q601 | 8050 | TRANSISTOR | OW01-08050-80 | | C649 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| △ Q602 | KTD2058Y | TRANSISTOR | OW01-02058-80 | | C650 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| △ Q604 | 2SC1383R | TRANSISTOR | OW01-01383-80 | | C651 | OW06-72106-20 | E CAPACITOR | 10mF 25V | |
| △ Q606 | 2SC1383R | TRANSISTOR | OW01-01383-80 | | C652 | OW05-73222-00 | C CAPACITOR | 2200pF | |
| △ Q608 | 2SC1383R | TRANSISTOR | OW01-01383-80 | | C653 | OW05-73222-00 | C CAPACITOR | 2200pF | |
| Q609 | 2SA733 | TRANSISTOR | OW01-00733-80 | | C654 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| D601 | 1N4148 | DIODE | OW02-04148-81 | | C655 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| D602 | 1N4148 | DIODE | OW02-04148-81 | | C656 | OW06-72105-20 | E CAPACITOR | 1mF 25V | |
| D603 | 1N4148 | DIODE | OW02-04148-81 | | C657 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| C1 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C658 | OW05-73150-00 | C CAPACITOR | 15pF | |
| C2 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C659 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| C3 | OW05-77102-10 | C CAPACITOR | Axial 1000pF | | C660 | OW05-73150-00 | C CAPACITOR | 15pF | |
| C4 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C661 | OW06-72226-20 | E CAPACITOR | 22mF 25V | |
| C5 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C662 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| C6 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C663 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| C7 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C664 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| C8 | OW05-77102-10 | C CAPACITOR | Axial 1000pF | | C665 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| C9 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C666 | OW06-71337-20 | E CAPACITOR | 330mF 16V | |
| C10 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C667 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C11 | OW05-77103-20 | C CAPACITOR | Axial 0.01mF | | C668 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C20 | OW05-73180-00 | C CAPACITOR | 18pF | | C669 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C601 | OW06-72226-20 | E CAPACITOR | 22mF 25V | | C670 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C602 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C671 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C603 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C672 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C604 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C673 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| C605 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C674 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| C606 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C675 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| C608 | OW06-72106-20 | E CAPACITOR | 10mF 25V | | C676 | OW05-73471-00 | C CAPACITOR | 470pF | |
| C609 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C678 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| C610 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C679 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| C612 | OW05-73300-00 | C CAPACITOR | 30pF | | C680 | OW05-73472-00 | C CAPACITOR | 4700pF | |
| C613 | OW05-73300-00 | C CAPACITOR | 30pF | | C681 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C614 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C682 | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| C615 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C683 | OW05-73272-00 | C CAPACITOR | 2700pF | |
| C616 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C684 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| C617 | OW06-72476-20 | E CAPACITOR | 47mF 25V | | C685 | OW05-73224-00 | C CAPACITOR | 0.22mF | |
| C618 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C686 | OW05-73103-00 | C CAPACITOR | 0.01mF | |
| C619 | OW06-70107-20 | E CAPACITOR | 100mF 10V | | C687 | OW05-73153-00 | C CAPACITOR | 0.015mF | |
| C620 | OW06-72476-20 | E CAPACITOR | 47mF 25V | | C688 | OW05-73470-00 | C CAPACITOR | 47pF | |
| C622 | OW06-70107-20 | E CAPACITOR | 100mF 10V | | C689 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| C623 | OW06-70477-20 | E CAPACITOR | 470 mF 10V | | C690 | OW05-73121-00 | C CAPACITOR | 120pF | |
| C624 | OW06-70227-20 | E CAPACITOR | 220mF 10V | | C691 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C625 | OW05-73223-00 | C CAPACITOR | 0.022mF | | C692 | OW05-73020-05 | C CAPACITOR | 2pF | |
| △ C626 | OW06-70108-20 | E CAPACITOR | 1000mF 10V | | C693 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C628 | OW06-71477-20 | E CAPACITOR | 470mF 16V | | C694 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| C629 | OW06-72476-20 | E CAPACITOR | 47mF 25V | | C695 | OW06-70107-20 | E CAPACITOR | 100mF 10V | |
| C630 | OW07-74331-30T | C RESISTOR | 330 1/16W | | C696 | OW06-72476-20 | E CAPACITOR | 47mF 25V | |
| C631 | OW05-73223-00 | C CAPACITOR | 0.022mF | | C697 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C632 | OW06-70227-20 | E CAPACITOR | 220mF 10V | | C698 | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C633 | OW06-70477-20 | E CAPACITOR | 470 mF 10V | | C699 | OW05-73224-00 | C CAPACITOR | 0.22mF | |
| C634 | OW06-72476-20 | E CAPACITOR | 47mF 25V | | C603A | OW06-70107-20 | E CAPACITOR | 100mF 10V | |
| C635 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C616A | OW06-70107-20 | E CAPACITOR | 100mF 10V | |
| C636 | OW05-73104-00 | C CAPACITOR | 0.1mF | | C633B | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| C637 | OW06-70107-20 | E CAPACITOR | 100mF 10V | | C666A | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| | | | | | C671A | OW05-73471-00 | C CAPACITOR | 470pF | |
| | | | | | C684A | OW05-73104-00 | C CAPACITOR | 0.1mF | |
| | | | | | C694A | OW05-73473-00 | C CAPACITOR | 0.047mF | |
| | | | | | C696A | OW06-70477-20 | E CAPACITOR | 470 mF 10V | |
| | | | | | R600 | OW07-74222-50T | C RESISTOR | 2.2K 1/8W | |
| | | | | | R601 | OW07-75102-06 | C RESISTOR | 1K 1/16W | |
| | | | | | R602 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| | | | | | R603 | OW07-75103-06 | C RESISTOR | 10K 1/16W | |
| | | | | | R604 | OW07-75221-06 | C RESISTOR | 220 1/16W | |
| | | | | | R605 | OW07-75330-06 | C RESISTOR | 33 1/16W | |
| | | | | | R606 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |
| | | | | | R607 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | |

| △ Symbol No. | Part No. | Part Name | Description | Local | △ Symbol No. | Part No. | Part Name | Description | Local |
|--------------|----------------|---------------|----------------|-------|--------------|----------------|-----------------|---------------------|-------|
| R608 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | L602 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R609 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | L604 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R610 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | L605 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R611 | OW07-75100-06 | C RESISTOR | 10 1/16W | | L606 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R612 | OW07-75100-06 | C RESISTOR | 10 1/16W | | L607 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R613 | OW07-75100-06 | C RESISTOR | 10 1/16W | | L608 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R614 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | L609 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R615 | OW07-75391-06 | C RESISTOR | 390 1/16W | | L610 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R617 | OW07-75330-06 | C RESISTOR | 33 1/16W | | L611 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R618 | OW07-75330-06 | C RESISTOR | 33 1/16W | | L612 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | |
| R619 | OW07-75330-06 | C RESISTOR | 33 1/16W | | L613 | OW09-70471-80 | AXIAL INDUCTOR | 47 mH | |
| R620 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | L614 | OW09-70101-80 | AXIAL INDUCTOR | 10 mH | |
| R621 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | | | | | |
| R622 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | CN601 | OW20-11090-80 | CONNECTOR | 9P | |
| R623 | OW07-75104-06 | C RESISTOR | 100K 1/16W | | CN602 | OW20-42041-86 | CONNECTOR | 4P | |
| R624 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | CN603 | OW20-12020-80 | CONNECTOR | 2P | |
| R625 | OW07-74010-00T | C RESISTOR | 1 1/4W | | CN604 | OW20-21100-80 | CONNECTOR | 10P | |
| R626 | OW07-75331-06 | C RESISTOR | 330 1/16W | | CN605 | OW20-61031-22 | CONNECTOR | 3P | |
| R627 | OW07-75561-06 | C RESISTOR | 560 1/16W | | CN606 | OW20-11060-80 | CONNECTOR | 6P | |
| △ R628 | OW07-74100-40 | C RESISTOR | 10 1W | | CN607 | OW20-80160-80 | FFC WIRE | 16P | |
| R630 | OW07-75102-06 | C RESISTOR | 1K 1/16W | | J648 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R634 | OW07-75561-06 | C RESISTOR | 560 1/16W | | J649 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R635 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | J650 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R636 | OW07-75221-06 | C RESISTOR | 220 1/16W | | J651 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R637 | OW07-75221-06 | C RESISTOR | 220 1/16W | | J652 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R638 | OW07-75221-06 | C RESISTOR | 220 1/16W | | J653 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R639 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | J654 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R640 | OW07-75472-06 | C RESISTOR | 4.7K 1/16W | | J655 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R641 | OW07-75100-06 | C RESISTOR | 10 1/16W | | J656 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R642 | OW07-75100-06 | C RESISTOR | 10 1/16W | | J657 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R643 | OW07-75100-06 | C RESISTOR | 10 1/16W | | J658 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R644 | OW07-75392-06 | C RESISTOR | 3.9K 1/16W | | J660 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R645 | OW07-75392-06 | C RESISTOR | 3.9K 1/16W | | J661 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R646 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | J662 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R647 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | J663 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R648 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | J664 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R649 | OW07-75000-06 | C RESISTOR | 0 1/16W | | J665 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R650 | OW07-75271-06 | C RESISTOR | 270 1/16W | | J666 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R651 | OW07-75271-06 | C RESISTOR | 270 1/16W | | J667 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R652 | OW07-75100-06 | C RESISTOR | 10 1/16W | | J668 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R653 | OW07-74331-00T | C RESISTOR | 330 1/4W | | J669 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R657 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | J670 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R658 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | J671 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R659 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | J672 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R662 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | J673 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R663 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | J674 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R664 | OW07-75224-06 | C RESISTOR | 220K 1/16W | | J675 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R665 | OW07-75683-06 | C RESISTOR | 68K 1/16W | | J676 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R666 | OW07-75103-06 | C RESISTOR | 10K 1/16W | | J677 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R667 | OW07-75153-06 | C RESISTOR | 15K 1/16W | | J678 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R668 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | J679 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R669 | OW07-75682-06 | C RESISTOR | 6.8K 1/16W | | J680 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R670 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | J682 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R671 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | J683 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R672 | OW07-75102-06 | C RESISTOR | 1K 1/16W | | J684 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R673 | OW07-75203-06 | C RESISTOR | 20K 1/16W | | J685 | OW07-75001-05F | C RESISTOR | 0 1/8W | |
| R674 | OW07-75222-06 | C RESISTOR | 2.2K 1/16W | | J687 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R675 | OW07-75221-06 | C RESISTOR | 220 1/16W | | J688 | OW07-75000-06 | C RESISTOR | 0 1/16W | |
| R676 | OW07-75104-06 | C RESISTOR | 100K 1/16W | | X601 | OW04-27000-80 | CRYSTAL | 27MHz | |
| R677 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | X602 | OW09-51693-80 | CER. RESONATOR | 16.9344 MHz | |
| R678 | OW07-75333-06 | C RESISTOR | 33K 1/16W | | XXXXX | OW20-41062-80 | CONNECTOR | 6P CD Motor | |
| R679 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | XXXXX | OW25-61080-80 | CABLE | CD Pick Up to CN607 | |
| R680 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | XXXXX | OW31-90080-80 | UL WIRE | CD to Gnd | |
| R681 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | XXXXX | OW84-00005-80 | CABLE TIE | 6.5UL CD Motor Wire | |
| R682 | OW07-75473-06 | C RESISTOR | 47K 1/16W | | XXXXX | OW39-00013-80 | HEAT SINK | CDT13 FOR IC607 | |
| R683 | OW07-75333-06 | C RESISTOR | 33K 1/16W | | XXXXX | OW20-34320-00 | IC SOCKET | 32P FOR IC602 | |
| R684 | OW07-75822-06 | C RESISTOR | 8.2K 1/16W | | XXXXX | OW11-80300-02 | CD PCB | | |
| R685 | OW07-75822-06 | C RESISTOR | 8.2K 1/16W | | XXXXX | OW39-07635-88G | HEAT SINK PLATE | FOR Q602 | |
| R686 | OW07-75822-06 | C RESISTOR | 8.2K 1/16W | | △ Z601 | 3.3V0.5W | Z DIODE | OW02-50033-80T | |
| R687 | OW07-75822-06 | C RESISTOR | 8.2K 1/16W | | △ Z602 | 5.6V0.5W | Z DIODE | OW02-50056-80 | |
| R688 | OW07-75683-06 | C RESISTOR | 68K 1/16W | | △ Z603 | 5.6V0.5W | Z DIODE | OW02-50056-80 | |
| R690 | OW07-75102-06 | C RESISTOR | 1K 1/16W | | △ Z604 | 6.2V0.5W | Z DIODE | OW02-50062-80 | |
| R691 | OW07-75100-06 | C RESISTOR | 10 1/16W | | | | | | |
| R692 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | | | | | |
| R693 | OW07-75332-06 | C RESISTOR | 3.3K 1/16W | | | | | | |
| R694 | OW07-75101-06 | C RESISTOR | 100 1/16W | | | | | | |
| L601 | OW08-01122-00 | FERRITE BEADS | RH03509ST-B246 | | | | | | |

<MEMO>

Packing materials and accessories parts list

Block No. **M 3 M M**



Packing and Accessories

Block No. [M][3][M][M]

| △ | Symbol No. | Part No. | Part Name | Description | Local |
|---|------------|-----------------|--------------------|-----------------------------|----------|
| | A 1 | OW00-00300-12 | SPEAKER BOX | 15W 4OHM(x2) | H300 |
| | A 1 | OW00-00300-11 | SPEAKER BOX | 15W 4OHM(x2) | H330 |
| | A 1 | OW00-00350-32 | SPEAKER BOX | 15W 4OHM(x2) | H350 |
| | A 2 | OW88-00300-47 | INST BOOK | LVT1193-007A ENG CHI(PEKIN) | US |
| | A 2 | OW88-00300-50 | INST BOOK | LVT1193-010A CHI(TAIWAN) | UT |
| | A 2 | OW88-00300-48 | INST BOOK | LVT1193-011A ENG SPA POR | UW |
| | A 2 | OW88-00350-59 | INST BOOK | LVT1193-012A ENG | UJ |
| | A 3 | ----- | BATTERY | | |
| | A 4 | OW23-04910-80 | AM LOOP ANT | | |
| | A 5 | OWAS-RJVCUXH350 | REMOTE MAIN UNIT | | |
| △ | A 6 | OW97-00501-80 | AC PLUG ADAPTOR | | UT |
| △ | A 6 | OW97-02755-80 | AC PLUG ADAPTOR | | US,UW,UJ |
| | A 7 | OW89-00300-05 | INSERT CARD | | |
| | P 1 | OW89-00300-13 | CARTON BOX | | H300 |
| | P 1 | OW89-00330-01 | CARTON BOX | | H330 |
| | P 1 | OW89-00350-51 | CARTON BOX | | H350 |
| | P 2 | OW89-00300-02 | CORRUGATED PAPER | | |
| | P 3 | OW85-91014-82 | POLY BAG | 10 X 14 | |
| | P 4 | OW85-90710-84 | POLY BAG | 7 X 10 | |
| | P 5 | OW85-00025-81A | POLY BAG | 3.5 X 10(x2) | |
| | P 6 | OW81-01000-80 | TURN TABLE CUSHION | 116 X 17 X 2mm | |
| | P 7 | OW89-09023-80 | CD PROTECT BOARD | | |
| | P 8 | OW85-91821-84 | POLY BAG | 18 X 21 X 0.03 | |
| | P 9 | OW86-00300-10 | POLYFOAM | L | |
| | P 10 | OW86-00300-11 | POLYFOAM | R | |
| | P 11 | OW81-00300-01 | SUPPORT SPONGE | | |
| | P 12 | OW81-00300-03 | PROTECTION SHEET | | |