

IMPORTANT NOTICE:

THIS MANUAL SUPPLEMENTS THE NAD 2200 SERVICE MANUAL AND SHOULD BE USED FOR UNITS WITH SERIAL NOS. 6010010 ONWARD.

2200PE
POWER AMPLIFIER

ALIGNMENT PROCEDURES

Condition

Preheat more than 15 minutes

Speaker load 8 ohms (dummy or speaker)


Input . . . , No signal

Step	Output Indication Connection	Adjustment	Adjust for
	CENTER DO	VOLTAGE	
1	DC digital voltmeter Speaker terminals	SVR201 (L ch) SVR202 (R ch)	0±5 mV
	IDL	ING	
2	DC digital voltmeter	SVR301 (L ch)	7.5±0.5mV


MAL-P.C. Board

JP101 TP201 JP403

MAR-P.C. Board




WIRING DIAGRAM (Component side)





B, C, C_1 , -Version for U.K., Scandinavia, W.Germany (PFU-610B)

 $\boldsymbol{\mathsf{B}}_1$ -Version for Australia/N.Z. (PFU-610B)



SCHEMATIC DIAGRAM





ELECTRICAL PARTS LIST

Capacitors

Ref. No.	Part No.		Descrip	tion
C101~104	ECQV1H684JZ	Film	50V	0.68µF ±5%
701-75-71-13-79				2200pF ±5%
C105, 106	MY-50VU222J	Film Film		
C107, 108	MY-50VU102J	5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		1000pF ±5%
C109, 110	LL-25TW100M	Low-leak	25V	10µF ±20%
C111~114	HE70SJYF103Z	Ceramic	50V	0.01pF +80~-20%
C115, 116	NS-10TW101M	Elect.	10V	100µF ±20%
C201720z	'\F£663\$3€ 81K	Ceramic	50V	180pF ±10%
C203, 204	LL-25TW100M	Low-leak	Elect.	
			25V	10µF ±20%
C205, 206	HE90SJSL471K	Ceramic	50V	470pF ±10%
C207, 208	NS-10TW221M	Elect.	10V	220µF ±20%
C209, 210	ECQV1H104JZ	Film	50V	0.1µF ±5%
C211, 212	HE90SJSL391K	Ceramic	50V	390pF ±10%
C213, 214	NS-16TW101M	Elect.	16V	100µF ±20%
C215~218	NS-50TW2R2M	Elect.	50V	2.2µF ±20%
C219~222	NS-25TW470M	Elect.	25V	47µF ±20%
C223, 224	NS-50TW1ROM	Elect.	50V	1µF ±20%
0223, 224	N3-501 W 1110W	Liect.	30 4	1 1 - 20%
C301~304	NS100TW4R7M	Elect.	100V	4.7µF ±20%
C305, 306	HM60SJSH220K	Ceramic		22pF ±10%
C307~310	HE40SJYD102M	Ceramic	50V	1000pF ±20%
C311, 312	NS-16TW100M	Elect.	16V	10µF ±20%
C313, 314	NS-50TWR10M	Elect.	50V	0.1 µF ±20%
C315~318	HE80SJSL331K	Ceramic	50V	330pF ±10%
C319~322	HE60SJSL151K	Ceramic	50V	150pF ±10%
C323, 324	MY100VS473K	Film	100V	0.047µF ±10%
C325~328	MY100VS682K	Film	100V	6800pF ±10%
C329, 330	MY-50VU104J	Film	50V	0.1µF ±5%
C401.402	. NS-10TW470M.	.Flect	10V.	47µE.±20%
C403	NS-10TW220M	Elect.	10V	
C404	NS-50TWR47M	Elect.	50V	
C405	MY-50VU102K	Film	50V	
C406, 407	ECQV1H104JZ	Film	50V	
C408, 407	NS-50TW331M	Elect.	50V	
C408, 409	NS100TWR47M	Elect.	100V	. 그리 경기를 보냈지 않았다.
C410 C411, 412	BC0A103MI80EE3	Elect.		10000µF ±209
	BC80103MC80EE4	Elect.		10000µF ±209
C413, 414	MY100VS104K	Film	100V	
C415, 416 C417	HM15SJYD103M	Ceramic		
0417	111/1303 1 D 103W	Ceramic	3000	0.01µ1 -207
C501	ECQU1A103MH	Film	125V	51
2223			0.00	[A]
C501	ECQU2A103MF	Film	250 V	
		10.140		$[B, B_1, C]$
C502	ECQU2A103MF	Film	250 V	0.01µF±209
		1		[B, B, , C]

Resistors

Ref. No.	Part No.		Descrip	tion
R101, 102	KA25SJ2241	Carbon	1/4W	220KΩ ±5%
R103, 104	KA25ST103J	Carbon	1/4W	10KΩ ±5%
R105, 106	KA25ST393J	Carbon	1/4W	39KΩ ±5%
R107~110	KA25ST222J	Carbon	1/4W	2.2KΩ ±5%
R111, 112	KA25ST104J	Carbon	1/4W	100KΩ ±5%
R113	KA25ST101J	Carbon	1/4W	100Ω ±5%
R114, 115	KA25ST104J	Carbon	1/4W	100KΩ ±5%
R116	KA25ST152J	Carbon	1/4W	1.5KΩ ±5%
R117	KA25ST472J	Carbon	1/4W	4.7KΩ ±5%
R118	KA25ST563J	Carbon	1/4W	56KΩ ±5%
R119	KA25ST332J	Carbon	1/4W	3.3KΩ ±5%
R120	KA25ST392J	Carbon	1/4W	3.9KΩ ±5%
R121~124	KA25ST102J	Carbon	1/4W	1KΩ ±5%
R201, 202	KA25ST104J	Carbon	1/4W	100KΩ ±5%
R203, 204	KA25ST223J	Carbon	1/4W	22KΩ ±5%

Ref. No.	Part No.	Description
R205, 206	KA25ST471J	Carbon 1/4W 470Ω ±5%
R207~210	KA25ST561J	Carbon 1/4W 560Ω ±5%
R211, 212	KA25ST182J	Carbon 1/4W 1.8KΩ ±5%
R213, 214	KA25ST102J	Carbon 1/4W 1KΩ ±5%
R215, 216	KA25ST911J	Carbon 1/4W 910Ω ±5%
R217, 218	KA25ST102J	Carbon 1/4W 1KΩ ±5%
R219, 220	KA25ST331J	Carbon 1/4W 330Ω ±5%
R221, 222	KA25ST333J	Carbon 1/4W 33KΩ ±5%
R223, 224	KA25ST103J	Carbon 1/4W 10KΩ ±5%
R225, 226	SA-1WT562J-LP	Metal Oxide 1W 5.6KΩ ±5%
R227, 228	KA25ST102J	Carbon 1/4W 1KΩ ±5%
R229~232 R233, 234	KA25ST221J KA25ST682J	Carbon 1/4W 220Ω ±5%
R235~238	KA25ST662J	Carbon 1/4W 6.8KΩ ±5%
R237, 240	KA25ST472J	Carbon 1/4W 4.7KΩ ±5%
R241, 242	FR50ST103J-LP	Carbon 1/4W 470 Ω ±5% Flame Proof 1/2W 10K Ω ±5%
R243, 244	KA25ST821J	Carbon 1/4W 820Ω ±5%
R245, 246	KA25ST102J	Carbon 1/4W 1KΩ ±5%
R247, 248	KA25ST104J	Carbon 1/4W 100KΩ ±5%
R249, 250	KA25ST471J	Carbon 1/4W 470Ω ±5%
R252, 252	FR50ST103J-LP	Flame Proof 1/2W 10KΩ ±5%
R253, 254	KA25ST821J	Carbon 1/4W 820Ω ±5%
R255, 256	KA25ST102J	Carbon 1/4W 1KΩ ±5%
R257~260	KA25ST104J	Carbon 1/4W 100KΩ ±5%
R261, 262	KA25ST223J	Carbon 1/4W 22KΩ ±5%
R263, 264	FR25ST330J-LP	Flame Proof 1/4W 33Ω ±5%
R265~270	KA25ST102J	Carbon 1/4W 1KΩ ±5%
R271, 272	KA25ST272J	Carbon 1/4W 2.7KΩ ±5%
D201 202	FROMETTONALLD	FI B (4/4W 0000 450)
R301, 302 R303, 304	FR25ST331J-LP FR25ST470J-LP	Flame Proof 1/4W 330Ω ±5%
R305, 304	FR25ST151J-LP	Flame Proof 1/4W $47\Omega \pm 5\%$ Flame Proof 1/4W $150\Omega \pm 5\%$
.R307~310		Flame Proof 1/4W 150Ω ±5% Carbon 1/4W 2.7KΩ ±5%
R311, 312		Carbon 1/4W 33KΩ ±5%
R313, 314		Carbon 1/4W 10KΩ ±5%
R315, 316		Carbon 1/4W 33KΩ ±5%
R317, 318	KA25ST184J	Carbon 1/4W 180KΩ ±5%
R319, 320		Carbon 1/4W 33KΩ ±5%
R321, 322	KA25ST561J	Carbon 1/4W 560Ω ±5%
R323, 324		Carbon 1/4W 33KΩ ±5%
R325~328		Carbon 1/4W 1KΩ ±5%
R329, 330		Flame Proof 1/4W 68Ω ±5%
R331, 332		Flame Proof 1/4W 470 Ω ±5%
R335~338		Flame Proof 1/4W 68Ω ±5% Metal Oxide 2W 12KΩ ±5%
R339, 340		Metal Oxide 2W 12K22 ±5%
R341, 342		Carbon 1/4W 15KΩ ±5%
R343, 344		Metal Oxide 2W 6.8KΩ ±5%
R345, 346		Carbon 1/4W 15KΩ ±5%
R347, 348		Carbon 1/4W 12KΩ ±5%
R349, 350	KA25ST272J	Carbon 1/4W 2.7KΩ ±5%
R351, 352		Carbon 1/4W 1KΩ ±5%
R353, 354		Flame Proof 1/4W 470Ω ±5%
R355, 356		Flame Proof 1/4W 100Ω ±5%
R357, 358		Carbon 1/4W 1KΩ ±5%
R359, 360		Flame Proof 1/4W 470Ω ±5%
R361, 362 R363, 364	FR25ST101J-LP	Flame Proof 1/4W 100Ω ±5%
R365~36		Flame Proof 1 (?)W. 330Ω.+5%1 F Cement 5W 0.22Ω (x2)
R369~37		Metal Oxide 2W 4.7Ω ±5%
R373~37	[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]	Flame Proof 1/4W 470Ω ±5%
R377, 37		Flame Proof 1/4W 47Ω ±5%
R379, 38	[12]	Flame Proof 1/4W 47Ω ±5%
	2 1 1 1 2 1 1	A
R401~40		Carbon 1/4W 56K Ω ±5%
R405	KA25ST224J	Carbon 1/4W 220KΩ ±5%
R406	KA25ST473J	Carbon 1/4W 47KΩ ±5%
R407	KA25ST563J	Carbon 1/4W 56KΩ ±5%
R408	KA25ST333J	Carbon 1/4W 33KΩ ±5%
R409~41	2 KA25ST223J SA-2WT471J-LP	Carbon 1/4W 22KΩ ±5%
R414	KA25ST823J	Metal Oxide 2W 470 Ω ±5% Carbon 1/4W 82K Ω ±5%
R415	KA25ST473J	Carbon 1/4W 82KΩ ±5% Carbon 1/4W 47KΩ ±5%
		1 30.00. 1/41 4/100 10%

Miscellaneous

Ref. No.	Part No.	D	escrip	tion	
R416	SA-1WT392J-LP	Metal Oxio	de 1	W 3.9KΩ	±5%
R417	KA50XT272J	Carbon	1/2W	2.7KΩ	±5%
R418	KA25ST154J	Carbon	1/4W	150KΩ	±5%
R419	KA25ST223J	Carbon	1/4W	22KΩ	±5%
R420	KA50XT272J	Carbon 1	1/2W	$2.7K\Omega$	±5%
R421, 422	KA25ST332J	Carbon 1	1/2W	3.3KΩ	±5%
SVR201,	SVR-08T3B103	Semi-varial	ble	10KΩ	(B)
SVR301, 302	SVR-08T3B102	Semi-varial	ole	1ΚΩ	(B)

Het. No.	Part No.	Description
R416	SA-1WT392J-LP	Metal Oxide 1W 3.9KΩ ±5%
R417	KA50XT272J	Carbon 1/2W 2.7KΩ ±5%
R418	KA25ST154J	Carbon 1/4W 150KΩ ±5%
R419	KA25ST223J	Carbon 1/4W 22KΩ ±5%
R420	KA50XT272J	Carbon 1/2W 2.7KΩ ±5%
R421, 422	KA25ST332J	Carbon 1/2W 3.3K Ω ±5%
SVR201, 202	SVR-08T3B103	Semi-variable 10K Ω (B)
SVR301, 302	SVR-08T3B102	Semi-variable 1KΩ (B)

302		
Semiconduct	ors	
Ref. No.	Part No.	Description
D201~212	1S1588	Diode
5004 040	404500	5: 1
D301~316 D317, 318	1S1588 . 1SS144	Diode Diode
D319, 320	1S1588	Diode
D321, 322	1SS144	Diode
D323~328	1S1588	Diode
D329~332	S6K20	Diode Rectifier
D401	1SS144	Diode
D402	1N4003	Diode Rectifier
D403	184842	Diode Bridge rectifier
D601	BR-25P	Diode Bridge rectifier
D602	BR-64-LF	Diode Bridge rectifier
Q201~204	2SC2240-BL	Transistor
Q205, 206	2SA970-BL	Transistor
Q207~214	2SC2240-BL	Transistor
Q215, 216	2SA970-BL 2SC2240-BL	Transistor Transistor
Q217, 218 Q219, 220	2SA970-BL	Transistor
Q301, 302	2SA1370-E, F	Transistor
Q303~306	2SC3467-E, F	Transistor
Q307, 308	2SA1370-E, F	Transistor
Q309, 310	2SC3281-R, O	Transistor
Q311, 312	2SA1302-R, O	Transistor
Q313, 314	2SC3281-R, O	Transistor
Q315, 316	2SA1302-R, O	Transistor
Q317, 318 Q319, 320	2SC3281-R, O 2SA1302-R, O	Transistor Transistor
Q319, 320 Q321, 322	2SC2240-BL	Transistor
Q323, 324	2SA970-BL	Transistor
Q325, 326	2SB631K-E, F	Transistor
Q327, 328	2SD600K-E, F	Transistor
Q329, 330	2SA1302-R, O	Transistor
Q331, 332	2SC3281-R, O	Transistor
Q333, 334	2SC1953-R, S	Transistor Transistor
Q335, 336 Q337, 338	2SC3467-E, F 2SA970-BL	Transistor
Q401~403	2SC2240-GR, BL	Transistor
IC101, 102	NJM2043DD	IC Dual low-noise preamplifier
IC401	NJM78M18A	IC Positive voltage regurator
IC402	NJM79M18A	IC Negative voltage regulator
IC403	TA7317P	IC Protection circuit
LD701	SLP255B	LED Green
LD801,802	SLP155B	LED Red
LD803	SLP455B	LED Amber
ZD201~204	RD24E-B2	Zener Diode 1/2W 24V
ZD301~304	RD10E-B3	Zener Diode 1/2W 10V
ZD305~308	RD7.5E-B2	Zener Diode 1/2W 7.5V

Ref. No.	Part No.	Description
F501 F501 F601~604 F601, 602 F603, 604 F605, 606 F605, 606 L301, 302 S101, 102 JP101, 102 JP103	Part No. FU-621034T-C FU-525029T FU-621034T-C FU-526329T FU-521039T FU-621024T FU-521029T 104001 SSB022 MC02-371 171825-2 MC03-377 171825-3	Fuse 250V 10A [A] Fuse 250V 5A [B, B ₁ , C] Fuse 250V 10A [A] Fuse 250V 6.3A [B, B ₁ , C] Fuse 250V 10A [B, B ₁ , C] Fuse 250V 1A [A] Fuse 250V 1A [B, B ₁ , C] Air-core Coil Slide Switch Micro Socket Ass'y Micro Plug Micro Socket Ass'y
JP104 JP201, 202 JP401 JP402 JP403 JP801 JP802	MC03-378 171825-3 W-D0608 W-D0604 MC03-372 171825-3 MC03-373 171825-3 MC03-376 171825-3 MC02-370 171825-2	Micro Plug Micro Socket Ass'y Micro Plug Connector Connector Micro Socket Ass'y Micro Plug Micro Plug Micro Plug Micro Plug Micro Plug
RL401, 402	RXS-2405U	Relay
TP201, 202	WD-2	Terminal Pin
TS301,302	UI2-10005-240A	Thermal Relay
PTC601, 602	RDE185A	PTC Device
	YKC21-0069 YKD31-0212	Jack, RCA 2p Socket 4p (S.P)
	FU-594 LED-594 MAL-593 MAR-593 PFU-594 PLD-594 PS-594 SW-594	Printed Circuit Board
-		