

+Vcc2

FU1 1/8A, 125V  
FH1 LITTLE FUSE 281-005

FU2 1/8A, 125V  
FH2 LITTLE FUSE 281-005

TB3-4


TB3-1

TB3-2

TB3-3

MCT815CT +15VDC  
TB6-1





SYMBOLS  
 1. HEAT SINK  
 2. G-ROUNDED HEAT SINK

NOT INSULATED = (INSULATED FROM DEVICE)

REV	DATE	APPVD	DESCRIPTION
F	9-16-90	CPL	SEE ECO-014
E	9-1-90	CPL	SEE ECO-013
D	1-7-90	CPL	SEE ECO-009
C	2-10-89	CPL	SEE ECO-004
B	2/2/87	CPL	SEE ECO-003
A	1/12/86	CPL	SEE ECO-002

MRG CONTROL, INC.  
 PO BOX 389  
 1840 BRADSHAW CT.  
 WALLED LAKE, MI 48088

SCALE:   
 DATE: 10/17/88  
 APPROVED BY: CPL  
 DRAWN BY: J2  
 REVISED JSP 2-16-89

USED ON A400M, A400S  
 SEE BOM 100016

AMPLIFIER, LOW LEVEL -  
 SCHEMATIC  
 DRAWING NUMBER  
 C300008K

00016  
 PC BOARD ASSY  
 USED ON