





# EMATIC DIAGRAM







- 1) SELECTOR  
TAPE HEAD  
TONE 1  
TONE 2  
AUX 1 (MIC)  
AUX 2
- 2) TAPE MONITOR  
SOURCE  
PLAY BACK
- MODE SW  
STEREO  
TONE
- $S_4(a, b)$  MUTING  
1 OFF  
2 ON
- $S_5(a, b)$  LOUDNESS  
1 OFF  
2 ON
- $S_6(a, b)$  LOW FILTER  
1 OFF  
2 ON
- $S_7(a, b)$  HIGH FILTER  
1 OFF  
2 ON
- $S_8(a, b)$  SPEAKERS DAMPING  
1 HIGH  
2 LOW
- $S_9(a-d)$  SPEAKERS  
1 OFF  
2 SYSTEM A  
3 SYSTEM B  
4 SYSTEM A+B
- $S_{10}(a, b)$  POWER  
1 OFF  
2 ON

- SYMBOL  
● OIL  
□ MICA  
⊙ MYLAR  
△ CERAMIC  
⊛ TANTALUM

RESISTORS 1/4 WATT UNLESS OTHERWISE NOTED

\* All rights reserved specifications subject to change without notice.



SANSUI ELECTRIC COMPANY LIMITED

Printed in Japan (790504B)