

MD-H300LP/MD-H100LP

MINIDISC DECK

1 st Issue; July 2001

TEAC WIRING DIAGRAM MD-H300LP/MD-H100LP



MD-H300LP/MD-H100LP

MINIDISC DECK

1 st Issue; July 2001



NOTES:
1. Resistor values are in ohms (k=kilo-ohms, M=megohms).
2. Capacitor values are in microfarads (p=picofarads).
3. ⚠Parts marked with this sign are safety critical components. They must always be replaced with identical components-refer to the appropriate parts list and ensure exact replacement.

注 意
1. 抵抗の単位はΩ（k＝kΩ，M＝MΩ）です。
2. コンデンサの単位はμF（p＝pF）です。
3. ⚠マークのある部品は安全規格重要部品です。
交換するときは必ずティアック指定の部品を使用してください。

MD-H300LP/MD-H100LP

MINIDISC DECK

1 st Issue; July 2001



NOTES:
1. Resistor values are in ohms (k=kilo-ohms, M=megohms).
2. Capacitor values are in microfarads (p=picofarads).
3. ⚠Parts marked with this sign are safety critical components. They must always be replaced with identical components-refer to the appropriate parts list and ensure exact replacement.

注 意
1. 抵抗の単位はΩ（ｋ＝ｋΩ，Ｍ＝ＭΩ）です。
2. コンデンサの単位はμＦ（ｐ＝ｐＦ）です。
3. ⚠マークのある部品は安全規格重要部品です。
交換するときは必ずティアック指定の部品を使用してください。

MD-H300LP/MD-H100LP

MINIDISC DECK

1 st Issue; July 2001