



MEASURED VOLT	LOAD OHMS	CTIME	DIFFER PERCENT
D.C. SUPPLY			
1.0	7 TO 5		1.2
0.5	8 TO 10		4.2
0.25	10 TO 20		1.8
0.125	125 TO 250	4, 6, 8, 7	6.7
0.0625	250 TO 500	5, 6, 8, 7	0.7
70 VOLTS			
D.C. SUPPLY			
1.0	1.5 TO 2.5		2
0.5	3.0 TO 4.0		2.2
0.25	4 TO 16		2
0.125	20 TO 100	4, 6, 8, 7	4.7
0.0625	25 TO 100	4, 6, 8, 7	4.2
70 VOLTS			

MEASURED VOLTS	RANGE	DIFFER PERCENT
0.25	2.5 TO 10	0.2
0.125	5 TO 20	0.5
0.0625	10 TO 100	0.3

NOTE:  
VOLTAGE SHALL BE MEASURED BETWEEN POINT INDICATED AND 0-100V  
CIRCUIT OF VOLTS 5000V ARE FOR 100V LINE VOLTAGE MEASUREMENTS  
WITH VOLTMETER RATED FOR APPROXIMATELY 20-30% OVER 5000V RMS  
VOLT. MEASURED VALUES MAY DEPART 210% FROM VALUES SHOWN.

FIG. 7. (Continued)